

# COMPLETE COLOR MATCHING SYSTEM, BETTER MATCHES FASTER AND EASIER

## UNIQUE FEATURES

- Simplified color matching system
- Smartphone app with easy color formulas to match popular natural & engineered stones
- 32 premixed color pigments in measured dosing pump cans
- Faster ramp-up time for new hires
- More forgiving ratios for improved quality control
- Indoor/Outdoor with high UV performance/ Non-yellowing
- Fast set times without over-catalyzed, brittle glue
- Eliminate redundant adhesives in the shop
- Suitable for natural stone, quartz, & porcelain
- Innovative eco-friendly foil pouches for mess-free dispensing

# Stone Seam™

Knife Grade adhesive with a game-changing color matching system.



### Available in your choice of Resin

Stone Seam Pro 1000 Clear Flowing Adhesive

Stone Seam Pro 1500 Clear Knife Grade Adhesive

Stone Seam Pro 1800 Chameleon Knife Grade Adhesive



## SEE THE DIFFERENCE

Better UV resistance, exterior performance and less yellowing than leading brand!

Leading Knife Grade

Chem-Set™ Stone Seam

1 Day in  
UV Chamber


1 Week in  
UV Chamber

# COLOR REFERENCE CHART

## STONE SEAM COLORING PASTE



Available in  
Mini Pouches (300 ml)  
Power Pouches (1L)  
Master Pouches (3L)



Product	Description
Trial Kit*	Includes: 1-liter pouch, 2oz hardener, (3) 2oz pigments (Arctic, Natural & Midnight), (10) mixing cups & mixing sticks
Mini Pouch*	Includes: 300 ml pouch, 2 oz hardener, (5) mixing cups & mixing sticks
Power Pouch*	Includes: 1-liter pouch, 2 oz hardener, (10) mixing cups & mixing sticks
Master Pouch*	Includes: 3-liter pouch, 4 oz hardener, (10) mixing cups & mixing sticks
Power Pack*	Includes: (10) 1-liter pouch kits, (10) 2 oz hardener, (100) mixing cups & mixing sticks
Master Pack*	Includes: (5) 3-liter pouch kits, (5) 4 oz hardener, (50) mixing cups & mixing sticks
Stone Seam Tape	Stone Seam Tape: 1" x 200'
10 Color Kit - 2 oz Coloring Pastes	Includes: Arctic, Marble, Pearl, Buff, Beige, Dune, Cocoa, Chocolate, Shale, Midnight
32 Color Kit - 2 oz Coloring Pastes	Includes: Arctic, Brilliant, Newport, Ice, Marble, Canvas, Natural, Misty, Butter, Stone, Pearl, Beach, Buff, Beige, Dune, Caramel, Cream, Slate, Latte, Pewter, Willow, Fawn, Sonora, Prairie, Mocha, Thunder, Lava, Cocoa, Chocolate, Shale, Midnight, Mesa, & hard case
Individual Pigments	2 oz pump bottle
Extra Hardener 2 oz	2 oz hardener
Extra Hardener 4 oz	4 oz hardener
Color Master CM200 Kit	Includes: CM200 Bluetooth scanner, color chips, charger, & hard case

\* Available in your choice of Clear Knife-grade, Chameleon Knife-grade & Clear Flowing

## Stone Seam™



Scan Here →



### 1. CONNECT TO STONE SEAM APP AND FIND YOUR MATCH

Before beginning the fabrication process, ensure that you are connected to our Stone Seam App. This app will provide crucial information about the slab you are working on and the specific pigmentation instructions and ratio required





### 2. IDENTIFY SLAB

Use the Stone Seam app to look up the slab you are working on. This will provide important details about the material, pigments used, and how much you will need

### 3. CHOOSE YOUR BASE RESIN

Choose between Clear or Chameleon (Transparent-White) base resin and follow instructions in the Stone Seam App for how much you need based on the length of your seam. Squeeze out into the cups provided or on to a mixing board.

**TIP:** **Clear** = great for any seam needing transparency or when just needing clear seams  
**Chameleon** = great for any seam where color is needed (white, black, gray, tan)

<b>BASE RESIN</b>	Stone Seam Clear 	Stone Seam Chameleon 
<b>AVAILABLE IN</b>	Knife-Grade Flowing	Knife-Grade
<b>COLOR</b>	Crystal Clear	Transparent-White
<b>SUGGESTION</b>	Seams where clarity is needed	Seams with any color

### 4. PIGMENTING INSTRUCTIONS

Follow the pigmentation instructions provided on the Stone Seam app for the specific slab you are working on. Ensure that you mix the pigment thoroughly into the resin according to the app's guidelines.



## Stone Seam™



Scan Here →

**5. CONFIRM COLOR**

Before proceeding to harden the resin, it is crucial to confirm that the color is correct. Compare the mixed resin with the color reference provided on the Stone Seam App. Adjust pigment if necessary to achieve the desired color.

**6. PREPARE HARDENER**

Only use Stone Seam Hardener provided with UV-Stable Bulk Resin. Prepare the hardener according to the recommended mix ratio provided by the Stone Seam App. The recommended ratio is 2 pumps (1-3%) for every 2ft seam with a maximum of 15% if wanting faster cure speed. Thoroughly mix the hardener with the resin.

**7. APPLY**

Apply the mixed resin to the seams and miters of the slabs that need to be joined together. Ensure even distribution and adequate coverage for a strong bond.

**8. WORKING TIME**

The working time for the resin may vary depending on the temperatures but is generally around 4-7 minutes. Work efficiently to ensure proper application within the allotted time frame.

**9. FIXTURE TIME**

After applying the mixed resin, allow it to fixture for 12-15 minutes. During this time, the resin will begin to set, but it will still be malleable enough to make any final adjustments if needed.

**10. FINAL CHECKS**

Before the resin fully cures, double-check the seams and miters to ensure they are aligned correctly and that there are no air bubbles or imperfections.

**11. CURING**

Once the resin has fully cured, it will provide a strong, durable bond. Allow ample time for complete curing before subjecting the fabricated piece to any stress or use.