

Print Date: 10/26/2015

PRODUCT NAME: PER-BOND (PB-3)

COLOR: CLEAR REVISION DATE: October 26, 2015

1. PRODUCT AND COMPANY IDENTIFICATION

Commercial Product Name: PERI-BOND (PB-3)

Product Classification: Caulk, Sealant

Manufacturer:

Chemical Concepts, Inc.

410 Pike Road

Huntingdon Valley, PA 19006

PHONE: 800.220.1966 / 267.684.1038 FAX: 215.357.2754

General Description: Siliconized acrylic caulk EMERGENCY CONTACT

Physical Form: Paste INFOTRAC: 800.535.5053

Color: Clear

Odor: Slight mild odor

NFPA PROFILE: Health – 2 Flammability – 1 Instability/Reactivity - 0

Note: NFPA = National Fire Protection Association

2. HAZARDS IDENTIFICATION

OSHA/HCS Status: While this material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and

other users of this product.

Classification of the Not classified.

substance or mixture: Percentage of the mixture consisting of ingredient(s) of unknown

toxicity: 58.9%

Physical Hazards: Not classified

Health Hazards: Reproductive toxicity (fertility) Category 2

Environmental Hazards: Not classified

GHS Label Elements

Signal Word: Danger



Hazard Statement: May cause eye/lung/ skin irritation. May cause Cancer. May cause

genetic defects. May cause damage to organs through prolonged

exposure.

PrecautionaryObtain special instructions before use. Do not handle until all safety **Statement:**precautions have been read and understood. Wear protective gloves /
protective clothing / eve protection / face protection. Wash well after

protective clothing / eye protection / face protection. Wash well after handling. Contaminated work clothing should not be allowed out of

work place.

Response: SKIN: Wash with plenty of soap and water. If skin irritation or rash

occurs: Get medical attention / advice. Get medical attention / advice

if you feel unwell.

EYES:Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritant persists get medical attention / advice.

If exposed or concerned: get medical attention or advice. Take off

contaminated clothing and wash it before reuse.

Stora ge: Store locked up.

Disposal: Disposal of contents / container in accordance with local / regional

/state / federal and international regulations.

Hazard(S) not Otherwise

classified (HNOC):

Supplemental Emits toxic fumes when heated.

None known.

None known.

Information: This product reacts with water, moisture or humid air to evolve

Substance(s) formed under the condit ions of

use:

HMIS (Ratings): Health: 2* Chronic effects

Flammability: 1 Physical hazard: 0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them.

HMIS® ratings are to be used with a fully implemented HMIS®

program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively

from J. J. Keller (800) 327-6868.



3. COMPOSITION/INGREDIENTS

Substance/mixture: Mixture

Product Name: Peri Bond (PB-3)

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

4. FIRST AID MEASURES

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

Eye Contact: Check for and remove any contact lenses. Immediately flush eyes with

running water for at least 15 minutes, keeping eyelids open. Seek

immediate medical attention.

Inhalation: Remove to fresh air. Keep person warm and at rest. If not breathing, if

breathing is irregular or if respiratory arrest occurs, provide artificial

respiration or oxygen by trained personnel.

Skin Contact: Remove contaminated clothing and shoes. Wash skin thoroughly with

soap and water or use recognized skin cleanser. Do NOT use solvents

or thinners.

Ingestion: If swallowed, seek medical advice immediately and show this

container or label. Keep person warm and at rest. Do NOT induce

vomiting.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye Contact: Direct contact may cause slight to moderate irritation.

Inhalation: May cause slight irritation to respiratory passages – headache –

dizziness.

Skin Contact: May cause allergic skin reactions and / or central nervous system

depression.

Ingestion: No known significant effects or critical hazards. Low ingestion hazard.

Over-exposure signs/symptoms

Eye Contact: No specific data.
Inhalation: No specific data.
Skin Contact: No specific data.
Ingestion: No specific data.

Indication of immediate medical attention and special treatment needed, if necessary



Notes to physician: Treat symptomatically. Contact poison treatment specialist

immediately if large quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first - No action shall be taken involving any personal risk or without

aiders: suitable training.

5. FIRE FIGHTING MEASURES

Suitable extinguishing

media:

Unsuitable extinguishing

media:

Specific hazards arising

from the chemical:

None known.

In a fire or if heated, a pressure increase will occur and the container

Promptly isolate the scene by removing all persons from the vicinity of

may burst. This material is harmful to aquatic life. Fire water

Use an extinguishing agent suitable for the surrounding fire.

contaminated with this material must be contained and prevented

the incident if there is a fire. No action shall be taken involving any

from being discharged to any waterway, sewer or drain.

personal risk or without suitable training.

Specific protective equipment and

precautions for fire fighters:

Fire Fighting equipment

/ Instructions:

General fire hazards:

Move containers from fire area if you can do so without risk.

Fire-fighters should wear appropriate protective equipment and self-

contained breathing apparatus (SCBA) with a full face-piece operated

in positive pressure mode.

6. ACCIDENTAL RELEASEMEASURES

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform



the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up:

Large Spills: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Small Spills: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Environmental precautions :

Prevent further leakage or spillage if safe to do so.

7. HANDLING AND STORAGE

Precaution for safe handling:

Protective measures: Put on appropriate personal protective equipment (see Section 8).

Special precautions: If this material is part of a multiple component system, read the Safety Data Sheet(s) for the other component or components before blending as the resulting mixture may have the hazards of all of its parts.

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Conditions for safe storage, Including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and



kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Individual p rotection measures

Hygiene measures: Wash hands, forearms and face thoroughly after handling chemical

products, before eating, smoking and using the lavatory and at the

end of the working period.

Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the

workstation location.

Eye/face protection

Skin protection

Safety glasses with side shields.

Hand protection: Chemical-resistant, impervious gloves complying with an approved

standard should be worn at all times when handling chemical

products if a risk assessment indicates this is necessary.

Personal protective equipment for the body should be selected based

Body protection: on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this

Other skin protection: involved and should be approved by a specialist before handling this

product.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above

the exposure limit, they must use appropriate, certified respirators.

Use a properly fitted, air-purifying or air-fed respirator complying with

an approved standard if a risk assessment indicates this is necessary.

9. PHYSICAL/CHEMICAL CHARACTERISTICS

Appearance

Physical state : Paste Color: Clear

Respiratory protection

Odor: Mild Acrylic
Odor threshold: Not available.
pH: 7.5-8.5

Melting point: Not available.



Boiling point: >37.78°C (>100°F)

Flash point: Closed cup: >93.33°C (>200°F)

Material supports Yes.

combustion:

Auto -ignition temperature: Not available. Flammability (sold, gas): Not available. Lower and upper explosive Not available.

(flammable) limits:

Evaporation rate: 0.35 (butyl acetate = 1)

Vapor pressure: 2.3 kPa (17.5 mm Hg) [room temperature]

Vapor density:

Relative density:

Solubility:

Not available.

Not available.

Soluble in water.

Not available.

octanol/water :

Viscosity: 25-45 g/s

10. STABILITY AND REACTIVITY

Reactivity No specific test data related to reactivity available for this product

or its ingredients.

Chemical stability The product is stable.

Possibility of hazardous Under normal conditions of storage and use, hazardous reactions

Reactions will not occur.

Conditions to avoid When exposed to high temperatures may produce hazardous

decomposition products. Refer to protective measures listed in

sections 7 and 8.

Incompatible materials Keep away from the following materials to prevent strong

exothermic reactions: oxidizing agents, strong alkalis, strong acids.

Hazardous decomposition Decomposition products may include the following materials:

products: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.



11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Acute toxicity

Conclusion/Summary: There are no data available on the mixture itself.

Irritation/Corrosion
Conclusion/Summary

Skin: There are no data available on the mixture itself. Eyes: There are no data available on the mixture itself. Respiratory: There are no data available on the mixture itself.

Sensitization

Conclusion/Summary

Skin: There are no data available on the mixture itself. Respiratory: There are no data available on the mixture itself.

Mutagenicity

Conclusion/Summary: There are no data available on the mixture itself.

Carcinogenicity

Conclusion/Summary: There are no data available on the mixture itself.

Reproductive toxicity

Conclusion/Summary: There are no data available on the mixture itself.

Teratogenicity

Conclusion/Summary: There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential acute health effects

Eye contact No known significant effects or critical hazards. Inhalation No known significant effects or critical hazards. Skin contact No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact No specific data.
Inhalation No specific data.
Skin contact No specific data.
Ingestion No specific data.



12. ECOLOGICAL CONSIDERATIONS

Toxicity: Not available.

Persistence and degradability: Not available.

Bioaccumulative potential: Not available.

Mobility in soil

Soil/water partition coefficient (K_{OC}): Not available.

13. DISPOSAL CONSIDERATIONS

Disposal methods: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. TRANSPORT INFORMATION

	DOT	IM DG	IATA	
UN number	UN3082	Not regulated.	Not regulated.	
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (carbendazim (ISO))	-	<u>-</u>	
Transport hazard class (es)	9	-	-	
Packing group	III	-	-	



Environmental hazards	No.	No.	No.
Marine pollutant	Not applicable.	Not applicable.	Not applicable.
substances			
Product RQ (lbs)	20000	Not applicable.	Not applicable.
RQ substances	(carbendazim (ISO))	Not applicable.	Not applicable.

15. REGULATORY INFORMATION

United States inventory (TSCA 8b): All components are listed or exempted.

Australia inventory (AICS): Not determined.

Canada inventory (DSL): At least one component is not listed.

China inventory (IECSC): Not determined.

Europe inventory (REACH): Please contact your supplier for information on the inventory status

of this material.

Japan inventory (ENCS): Not determined. Korea inventory (KECI): Not determined. New Zealand (NZIoC): Not determined.

Philippines inventory (PICCS): Not determined.

United States

U.S. Federal regulations: SARA 302/304
SARA 304 RQ : Not applicable.
Composition/information on ingredients

No products were found.

SARA 311/312

Classification : Not applicable. Composition/information on ingredients

No products were found.

Page **10** of **11**



16. OTHER INFORMATION

Key to abbreviations : ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

GHS = Globally Harmonized System of Classification and Labelling of

Chemicals IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.

("Marpol" = marine pollution)

UN = United Nations

Prepared by: Chemical Concept, Inc.

These data are offered in good faith as typical values and not as product specifications. No warranty, either expressed or implied, is hereby made. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate.

www.chemical-concepts.com

Manufacturer:

Chemical Concepts, Inc. 410 Pike Road Huntingdon Valley, PA 19006

PHONE: 800.220.1966 / 267.684.1038 FAX: 215.357.2754

EMERGENCY CONTACT INFOTRAC: 800.535.5053