CONAP® S-8 Solvent





Product code: Version 1.0 SDS_REG_UN

Revision Date: 13.12.2017

Date of last issue: -Date of first issue: 13.12.2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	: CONAP® S-8 Solvent
Type of Application (Use) Manufacturer or supplier's d	: Resin Reducer
Company	: ELANTAS PDG, INC.
Address	: North 2nd Street 5200 63147 St. Louis
Telephone	: (314)621-5700
Telefax	:
E-mail address	: Todd.Thomas@altana.com
Emergency telephone num- ber	: INFOTRAC - 1-800-535-5053

2. HAZARDS IDENTIFICATION

GHS Classification		
Flammable liquids	:	Category 3
Skin corrosion/irritation	:	Category 2
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system, Central nervous system)
Specific target organ toxicity - repeated exposure	:	Category 2
Aspiration hazard	:	Category 1
GHS label elements		
Hazard pictograms	:	
Signal word	:	Danger
Hazard statements	:	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation.
		1/10

1 / 10



CONAP® S-8 Solvent

Product code: Version 1.0 SDS_REG_UN	Revision Date: 13.12.2017	Date of last issue: - Date of first issue: 13.12.2017	
	H335 May cause respira H336 May cause drowsii H361d Suspected of dan H373 May cause damag peated exposure.	ness or dizziness.	
Precautionary statements	 Prevention: P201 Obtain special instructions before use. P202 Do not handle until all safety precautions have been read and understood. P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 Keep container tightly closed. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof electrical/ ventilating/ lighting equipment. P242 Use non-sparking tools. P243 Take action to prevent static discharges. P260 Do not breathe dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. 		
	CENTER/doctor. P303 + P361 + P353 IF of Iy all contaminated clothi P304 + P340 + P312 IF and keep comfortable for CENTER/doctor if you fe P308 + P313 IF exposed attention. P331 Do NOT induce vo P332 + P313 If skin irritation.	d or concerned: Get medical advice/ miting. ition occurs: Get medical advice/ atten- fire: Use dry sand, dry chemical or	
	tightly closed. P403 + P235 Store in a v P405 Store locked up. Disposal:	well-ventilated place. Keep container well-ventilated place. Keep cool. ts/ container to an approved waste	



CONAP® S-8 Solvent

Product code:	
Version	Revision Date:
1.0 SDS_REG_UN	13.12.2017

Date of last issue: -Date of first issue: 13.12.2017

Other hazards which do not result in classification

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
toluene	108-88-3	>= 50 - <= 100
2-methoxy-1-methylethyl acetate	108-65-6	>= 50 - <= 100

4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
lf inhaled	:	Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.
Most important symptoms and effects, both acute and delayed	:	None known.

5. FIREFIGHTING MEASURES

nt foam
(CO2)



CONAP® S-8 Solvent

Product code: /ersion .0 SDS_REG_UN		Revision Date: 13.12.2017	Date of last issue: - Date of first issue: 13.12.2017	
Unsuitable extinguishing media	:	High volume water je	t	
Specific hazards during fire- fighting	:	Do not allow run-off from fire fighting to enter drains or water courses.		
Specific extinguishing meth- ods	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. For safety reasons in case of fire, cans should be stored sepa rately in closed containments. Use a water spray to cool fully closed containers.		
Special protective equipment for firefighters	:	Wear self-contained essary.	breathing apparatus for firefighting if nec-	
ACCIDENTAL RELEASE MEAS	UF	RES		
Personal precautions, protec- tive equipment and emer- gency procedures	:		ntilation. of ignition.	
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities. 		ge or spillage if safe to do so. inates rivers and lakes or drains inform	
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible ab- sorbent material, (e.g. sand, earth, diatomaceous earth, ve miculite) and place in container for disposal according to lo / national regulations (see section 13).		g. sand, earth, diatomaceous earth, ver- a container for disposal according to local	
. HANDLING AND STORAGE				
Advice on protection against fire and explosion	: Do not spray on a naked flame or any incandescent material Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources of ignition.			
Advice on safe handling	:	 Avoid formation of aerosol. Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- 		
			anniang should be prohibited in the up	



CONAP® S-8 Solvent

_

Product code: Version 1.0 SDS_REG_UN	Revision Date: 13.12.2017	Date of last issue: - Date of first issue: 13.12.2017
Conditions for sofe storage	Provide sufficient air excha Open drum carefully as co Dispose of rinse water in a regulations.	ures against static discharges. ange and/or exhaust in work rooms. Intent may be under pressure. accordance with local and national
Conditions for safe storage :	place. Containers which are oper kept upright to prevent lea Observe label precautions	s. orking materials must comply with

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
toluene	108-88-3	TWA	20 ppm	ACGIH

Biological occupational exposure limits

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Toluene	108-88-3	Toluene	In blood	Prior to last shift of work- week	0,02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0,03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure ceases)	0.3 mg/g Creatinine	ACGIH BEI

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an ap-



CONAP® S-8 Solvent

Product code: Version 1.0 SDS_REG_UN		Revision Date: 13.12.2017	Date of last issue: - Date of first issue: 13.12.2017	
		proved filter.		
Hand protection Remarks	:	The suitability for a spec with the producers of the	ific workplace should be discussed protective gloves.	
Eye protection	:	Eye wash bottle with pure water Tightly fitting safety goggles		
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concen tration of the dangerous substance at the work place.		
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.		

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Odour Threshold	:	No data available
рН	:	No data available
Melting point/freezing point	:	No data available
Initial boiling point and boiling range	:	No data available
Flash point	:	79 °F Method: No information available. Information taken from reference works and the literature.
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,9131 g/cm3 (25 °C)
Solubility(ies) Water solubility	:	No data available
		6 / 10



CONAP® S-8 Solvent

Product code: Version 1.0 SDS_REG_UN		Revision Date: 13.12.2017	Date of last issue: - Date of first issue: 13.12.2017
Solubility in other solvents	:	No data available	
Partition coefficient: n- octanol/water	:	No data available	
Auto-ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	-	No data available	
Viscosity, kinematic	:	< 21 mm2/s (40 °C)	
10. STABILITY AND REACTIVITY			

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
Hazardous decomposition products	:	Carbon monoxide in a fire. Nitrogen oxides in a fire.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Components:

2-methoxy-1-methylethyl acetate:

: LD50 (Rat, female): > 5.000 mg/kg Method: OECD Test Guideline 401 Acute oral toxicity GLP: yes

Skin corrosion/irritation

Product:

Remarks: May irritate skin. May cause skin irritation in susceptible persons.



CONAP® S-8 Solvent

Product code:	
Version	
1.0 SDS_REG_UN	

Revision Date: 13.12.2017

Date of last issue: -Date of first issue: 13.12.2017

Components:

2-methoxy-1-methylethyl acetate:

Species: Rabbit Method: OECD Test Guideline 404 Result: No skin irritation GLP: yes

Serious eye damage/eye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Further information

Product:

Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Concentrations substantially above the TLV value may cause narcotic effects. Solvents may degrease the skin.

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

Components:

2-methoxy-1-methylethyl acetate:

Biodegradability : Result: Readily biodegradable. Method: OECD Test Guideline 301F GLP: yes

Bioaccumulative potential

Components:

2-methoxy-1-methylethyl acetate:

Partition coefficient: n-	:	log Pow: 1,2 (20 °C)
octanol/water		pH: 6,8
		Method: OECD Test Guideline 117
		GLP: yes

Mobility in soil

No data available



CONAP® S-8 Solvent

Product code:		
Version	Revision Date:	Date of last issue: -
1.0 SDS_REG_UN	13.12.2017	Date of first issue: 13.12.2017

Other adverse effects

Product:

Additional ecological infor- : No data available mation

13. DISPOSAL CONSIDERATIONS

Disposal methods		
	:	WC: A
Waste from residues	:	Dispose of in accordance with local regulations.
Contaminated packaging	:	Empty remaining contents.

Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.	ontaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.	
--------------------------------------------------------------------------------------------	-----------------------	---	----------------------------------------------------------------------------------------------------------------------------------------------------------	--

14. TRANSPORT INFORMATION

International Regulations

	N	P	ΤГ)G
· U		••		50

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (1-METHOXY-2-PROPANOL ACETATE, TOLUENE)
Class	:	3
Packing group	:	III
Labels	:	3
IATA-DGR		
UN/ID No.	:	UN 1993
Proper shipping name	:	Flammable liquid, n.o.s.
		(1-Methoxy-2-propanol acetate, Toluene)
Class	:	3
Packing group	:	III
Labels	:	Flammable liquid
Packing instruction (cargo aircraft)	:	366
Packing instruction (passen- ger aircraft)	:	355
IMDG-Code		
UN number		UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S.
r topor ompping hamo	•	(1-METHOXY-2-PROPANOL ACETATE, TOLUENE)
Class	:	3
Packing group	:	III
Labels	:	3



CONAP® S-8 Solvent

Product code:		
Version	Revision Date:	Date of last issue: -
1.0 SDS_REG_UN	13.12.2017	Date of first issue: 13.12.2017

EmS Code:F-E, S-EMarine pollutant:no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

16. OTHER INFORMATION

The information contained herein is based on the present state of our knowledge and does therefore not guarantee certain properties.