

# SAFETY DATA SHEET Chem-Set<sup>™</sup> 73HT

1. Identification		
Product identifier		
Product name	Chem-Set™ 73HT	
Recommended use of the chemical and restrictions on use		
Application	Adhesive.	
Details of the supplier of the safety data sheet		
Supplier	Chemical Concepts 410 Pike Road	
	Huntingdon Valley, PA 19006	
	www.chemical-concepts,com	
	Toll Free Number: 1-800-220-1966	
	Office: 267-684-1038	

Supplier	Chemical Concepts
	410 Pike Road
	Huntingdon Valley, PA 19006
	www.chemical-concepts,com
	Toll Free Number: 1-800-220-1966
	Office: 267-684-1038
	Fax: 215-357-2754
Emergency telephone number	Infotrac:1-800-535-5053
Emergency telephone	24 hour emergency phone number

#### 2. Hazard(s) identification

#### Classification of the substance or mixture

OSHA Regulatory Status	Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).
Physical hazards	Flam. Liq. 4 - H227
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 STOT SE 3 - H335
Environmental hazards	Not Classified
Label elements	

Pictogram



Signal word	Warning
Hazard statements	H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Precautionary statements	<ul> <li>Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.</li> <li>P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking.</li> <li>P261 Avoid breathing vapor/ spray.</li> <li>P264 Wash contaminated skin thoroughly after handling.</li> <li>P271 Use only outdoors or in a well-ventilated area.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P302+P352 If on skin: Wash with plenty of water.</li> <li>P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.</li> <li>P312 Call a poison center/ doctor if you feel unwell.</li> <li>P321 Specific treatment (see medical advice on this label).</li> <li>P332+P313 If skin irritation occurs: Get medical advice/ attention.</li> <li>P362+P364 Take off contaminated clothing and wash it before reuse.</li> <li>P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.</li> <li>P403+P235 Store in a well-ventilated place. Keep cool.</li> <li>P405 Store locked up.</li> </ul>
Contains	ETHYL 2-CYANOACRYLATE
Other hazards None under normal conditions	S.

30-60%

# 3. Composition/information on ingredients

#### Mixtures

#### ETHYL 2-CYANOACRYLATE

CAS number: 7085-85-0

#### Classification

Flam. Liq. 4 - H227 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 STOT SE 3 - H335

The full text for all hazard statements is displayed in Section 16.

Composition comments	Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.
4. First-aid measures	
Description of first aid meas	sures
Inhalation	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. If symptoms develop and persist, get medical attention.
Ingestion	On contact, immediate bonding of mouth could occur. Do not induce vomiting. Get medical attention.
Skin Contact	On contact, immediate bonding of the skin will occur. No attempt should be made to remove material from skin or to remove contaminated clothing, as the bonded skin can be easily torn. Wash skin thoroughly with soap and water.

Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. If adhesive bonding occurs, do not force eyelids apart. Apply a pad soaked in warm water and allow the eyelids to separate. Get medical attention. Cured adhesive will not bond well to surface of eye, but corneal damage from abrasion may result.	
Most important symptoms and effects, both acute and delayed		
Inhalation	Irritation of nose, throat and airway.	
Ingestion	On contact, immediate bonding of mouth could occur.	
Skin contact	Prolonged skin contact may cause redness and irritation.	
Eye contact	Irritating and may cause redness and pain.	
Indication of immediate medic	al attention and special treatment needed	
Notes for the doctor	SKIN BONDING. Prise the skin apart slowly working from the edge of the bonded area. This can be eased by using warm soapy water. EYE BONDING. DO NOT force eyelids apart. Apply a pad soaked in warm water and allow the eye to separate itself.	
5. Fire-fighting measures		
Extinguishing media		
Suitable extinguishing media	Extinguish with foam, carbon dioxide, dry powder or water fog.	
Special hazards arising from t	he substance or mixture	
Specific hazards	Cloths used to wipe up spills may cause rapid polymerization that could generate sufficient heat to ignite the cloth.	
Hazardous combustion products	Trace amounts of toxic and/or irritating organic vapors may be generated. The use of breathing apparatus is recommended.	
Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapors.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
6. Accidental release measure	is	
Personal precautions, protecti	ve equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. Provide adequate ventilation.	
Environmental precautions		
Environmental precautions	Ventilate area. Prevent product from entering drains or waterways.	
Methods and material for containment and cleaning up		
Methods for cleaning up	Small spills: wipe up with cloth. Immediately soak cloth with water to polymerize the adhesive. Caution! Cloth containing adhesive may undergo autoignition if not soaked with water Large spills: flood area with water. When cured, remove film with a scraper.	
Reference to other sections	For personal protection, see Section 8. For waste disposal, see Section 13.	
7. Handling and storage		
Precautions for safe handling		

Usage precautions	Ensure adequate ventilation of the working area. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Keep away from fabric and paper goods. Contact with these materials may cause rapid polymerization which can generate smoke and strong irritating vapors and cause thermal burns.		
Conditions for safe storage, inc	Conditions for safe storage, including any incompatibilities		
Storage precautions	Store in tightly-closed, original container in a dry and cool place. Keep away from heat, sparks and open flame. Keep container closed when not in use.		
Specific end uses(s)			
Specific end use(s)	Adhesive.		
8. Exposure Controls/personal	protection		
Control parameters Occupational exposure limits ETHYL 2-CYANOACRYLATE			
• · ·	ur TWA): ACGIH 0.2 ppm 1 mg/m³ e of Governmental Industrial Hygienists.		
Exposure controls			
Appropriate engineering controls	Use positive down draft exhaust ventilation if general ventilation is insufficient to maintain vapor concentrations below established exposure limits.		
Eye/face protection	Wear approved safety goggles. Use face shield in case of splash risk.		
Hand protection	Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should not be worn.		
Other skin and body protection	Uniforms, coveralls, or a lab coat should be worn		
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.		
9. Physical and Chemical Prop	erties		
Information on basic physical a	and chemical properties		
Color	Clear.		
Odor	Pungent. Irritating.		
Odor threshold	1 - 2 ppm		
рН	Not applicable.		
Melting point	Not applicable.		
Initial boiling point and range	>149°C (300°F)		
Flash point	80°C – 93°C (176°F - 199.94°F )		
Evaporation rate	Not available.		

explosive limits

Vapor pressure	~0.6 mbar @ 25°C

Relative density	1.1 @ 25°C
Bulk density	Not applicable.
Solubility(ies)	Hardens in contact with water. Insoluble in water. Miscible with the following materials: acetone
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Oxidizing properties	Not applicable.
Volatile organic compound	<2 %, 20 grams/liter (Estimated)
10. Stability and reactivity	
Reactivity	The product reacts with water and will generate heat.
Stability	Stable at normal ambient temperatures and when used as recommended.
Possibility of hazardous reactions	Reactions with the following materials may generate heat: Water Alcohols. Alkalis. Amines.
Conditions to avoid	Do not add water directly to the product. It may cause a violent reaction.
Materials to avoid	Water. Amines. Alkalis. Alcohols.
Hazardous decomposition products	Toxic/Irritating fumes
•	Toxic/Irritating fumes
products	
products 11. Toxicological information	
products 11. Toxicological information Information on toxicological ef	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact
products 11. Toxicological information Information on toxicological ef Toxicological effects	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact
products 11. Toxicological information Information on toxicological eff Toxicological effects Skin corrosion/irritation	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.
products           11. Toxicological information           Information on toxicological eff           Toxicological effects           Skin corrosion/irritation           Skin corrosion/irritation           Serious eye damage/irritation	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale. Irritating to skin.
products          11. Toxicological information         Information on toxicological eff         Toxicological effects         Skin corrosion/irritation         Skin corrosion/irritation         Serious eye damage/irritation         Serious eye damage/irritation         Respiratory sensitization	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale. Irritating to skin. Causes serious eye irritation.
products          11. Toxicological information         Information on toxicological eff         Toxicological effects         Skin corrosion/irritation         Skin corrosion/irritation         Serious eye damage/irritation         Serious eye damage/irritation         Respiratory sensitization         Respiratory sensitization         Skin sensitization	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale. Irritating to skin. Causes serious eye irritation. Based on available data the classification criteria are not met.
products11. Toxicological informationInformation on toxicological effToxicological effectsSkin corrosion/irritationSkin corrosion/irritationSerious eye damage/irritationSerious eye damage/irritationRespiratory sensitizationRespiratory sensitizationSkin sensitizationSkin sensitizationSkin sensitizationGerm cell mutagenicity	fects The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale. Irritating to skin. Causes serious eye irritation. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.

Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	STOT SE 3 - H335
Target organs	Respiratory system, lungs
Specific target organ toxicity -	
STOT - repeated exposure	Not classified as a specific target organ toxicant after a single exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
Inhalation	May cause respiratory system irritation.
Ingestion	On contact, immediate bonding of mouth could occur.
Skin Contact	On contact, immediate bonding of the skin will occur. May cause skin irritation.
Eye contact	Irritating to eyes. On contact, will bond eyelids together. Vapours are lachrymatory.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target Organs	Respiratory system, lungs
12. Ecological Information	
Ecotoxicity	There are no data on the ecotoxicity of this product.
Bioaccumulative potential	
Partition coefficient	Not available.
13. Disposal considerations	
Waste treatment methods	
General information	Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.
Disposal methods	Dispose of according to Federal, State and local governmental regulations.
14. Transport information	
Sea transport notes	Not classified.
Air transport notes	Applies only to inner containers > 500ml. Inner packaging containing less than 500ml are unregulated for air transportation and may be shipped unrestricted. But inner packages containing more than 500ml meet the criteria of IATA 3.9.2.1 and are regulated. The "inner package" is the individual bottle, tube or drum, not the outer packaging such as a fiberboard box or carton containing many bottles. Permabond 3g, 20gr, 1 ounce (28.4 gr), 1 pound (454gr) and 500ml, are not restricted for air transportation.
DOT transport notes	This product is not regulated for road transportation in accordance with 49 CFR Exceptions. Please note that Cyanoacrylates are not restricted for domestic ground transportation in non bulk containers (The DOT defines a bulk container as a "Package" containing more than 450 liters. The "Package" is the individual bottle, tube or drum, not a carton containing many
	bottles

UN No. (IMDG)	Not applicable
UN No. (ICAO)	3334
UN No. (DOT)	NA1993
UN proper shipping name	
Proper shipping name (IMDG)	Not applicable
Proper shipping name (ICAO)	AVIATION REGULATED LIQUID, N.O.S (Cyanoacrylate ester)
Proper shipping name (DOT)	COMBUSTIBLE LIQUID, N.O.S. (Cyanoacrylate ester)
Transport hazard class(es)	
DOT hazard class	Combustible Liquid
IMDG Class	Not applicable
ICAO class/division	9
Packing group	
IMDG packing group	Not applicable
ICAO packing group	III
DOT packing group	III
Environmental hazards	
Environmentally Hazardous Su No.	bstance

# 15. Regulatory information

#### US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities None above reporting de minimis.

# CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None above reporting limits

# SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None above reporting limits

# SARA 313 Emission Reporting

None above reporting limits

# SARA (311/312) Hazard Categories

Acute Chronic Fire Reactivity

# US State Regulations

#### California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm

#### Inventories

#### Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA All the ingredients are listed or exempt.

#### US - TSCA 12(b) Export Notification

None above reporting limits

16. Other information	
Classification abbreviations and acronyms	Eye Irrit. = Eye irritation Flam. Liq. = Flammable liquid Skin Irrit. = Skin irritation STOT SE = Specific target organ toxicity-single exposure
Revision date	2/1/2018
Revision	1
Hazard statements in full	H227 Combustible liquid. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.