

Page 1/8

Printing Date 02/22/2017

**Revision Number 2** 

Revision Date 02/22/2017

## **1** Identification

#### · Product identifier

· Trade name: MP54190 (Epoxy Resin)

- · Relevant identified uses of the substance or mixture. Adhesive
- · Application of the substance / the mixture Adhesive

· Details of the supplier of the safety data sheet · Manufacturer/Supplier: Adhesive Systems, Inc. A Division of Royal Adhesives & Sealants, LLC 9411 Corsair Road Frankfort, Illinois 60423 Phone Number: 800-552-0299

· Information department: Environment protection department.

· Emergency telephone number: ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

# 2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Warning · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. May cause respiratory irritation. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves / eye protection / face protection. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area.

(Contd. on page 2) USA

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

# Trade name: MP54190 (Epoxy Resin)

	(Contd. of page 1)
Contaminated work clothing must not be allowed out of the workplace.	and agos to do
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present a Continue rinsing.	ina easy to ao.
Specific treatment (see on this label).	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
<i>Call a POISON CENTER/doctor if you feel unwell.</i>	
Wash contaminated clothing before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
IF ON SKIN: Wash with plenty of water.	
Take off contaminated clothing and wash it before reuse.	
Store locked up.	
Store in a well-ventilated place. Keep container tightly closed.	
Dispose of contents/container in accordance with local/regional/national/international regule	itions.
· Classification system: · NFPA ratings (scale 0 - 4)	
· NFFA raings (scale 0 - 4)	
Health = 2	
Fire = $1$	
<b>2 0</b> Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
$\frac{\text{HEALTH}}{2} Health = 2$	
FIRE 1 Fire = 1	
<b>PHYSICAL HAZARD</b> O Physical Hazard = $0$	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b>PBT:</b> Not applicable.	
· <b>vPvB:</b> Not applicable.	
3 Composition/information on ingredients	
Chemical characterization: Mixtures	
· Description: Adhesive	
· Hazardous components:	
25068-38-6 Bisphenol A Epoxy Resin	50-100%
4 First-aid measures	
· Description of first aid measures	
· After inhalation:	
Supply fresh air or oxygen; call for doctor.	
In case of unconsciousness place patient stably in side position for transportation.	
• After skin contact: Immediately wash with water and soap and rinse thoroughly.	
• After eye contact:	404
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doc	ior.
• After swallowing: Seek medical treatment. • Information for doctor:	

· Information for doctor:

\*

\*

• *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 3)

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 (Epoxy Resin)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### **5** Fire-fighting measures

#### · Extinguishing media

· Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray.

- Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

• Protective equipment: Protective clothing and respiratory protective device.

### 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- *Open and handle receptacle with care.*
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

USA

Printing Date 02/22/2017

\*

· pH-value:

• Change in condition Melting point: • Flash point: Revision Number 2

Revision Date 02/22/2017

# Trade name: MP54190 (Epoxy Resin)

	(Contd. of page 3)
· Control parameters	
· Components with limit values that re	equire monitoring at the workplace:
	levant quantities of materials with critical values that have to be monitored at
the workplace.	evani quantities of materials with critical values that have to be monitored at
*	at were valid during the exection were used as basis
• Additional information: The lists the	at were valid during the creation were used as basis.
· Exposure controls	
· Personal protective equipment (see l	listings below)
General protective and hygienic med	
Keep away from foodstuffs, beverage	
Immediately remove all soiled and co	
Wash hands before breaks and at the	
Avoid contact with the eyes and skin.	
• Breathing equipment: Not necessary	
	y ij room is weii-venitiatea.
• Protection of hands:	
m	
M7 Protective gloves	
Troiteenire gioves	
The glove material has to be imperm	eable and resistant to the product/ the substance/ the preparation.
· Material of gloves	I I I I I I I I I I I I I I I I I I I
Nitrile rubber, NBR	
Chloroprene rubber, CR	
	loes not only depend on the material, but also on further marks of quality and
varies from manufacturer to manufac	
· Penetration time of glove material	
	be found out by the manufacturer of the protective gloves and has to be
observed.	be jound out by the manufacturer of the protective gloves and has to be
• Eye protection:	
Tightly sealed goggles	
a and a secret goggies	
Safety glasses with side shields.	
• <b>Body protection:</b> Protective work clo	othing
9 Physical and chemical proper	ties
· Information on basic physical and c	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	Cream colored
· Odor:	Characteristic
• Odor threshold:	Not determined.
Gull mitsnom.	1101 ucici IIulicu.

Not determined.

Undetermined. >200 °C (>392 °F)

USA

(Contd. on page 5)

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 (Epoxy Resin)

	(Contd. of pa
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	Not determined
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Flammable limits:	
Lower:	Not determined
Upper:	Not determined
· Vapor pressure:	Not determined.
· Specific gravity at 20 °C (68 °F):	1.1 g/cm <sup>3</sup> (9.18 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Slightly soluble.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	0.0 %
Solids content:	Not available
• Other information	No further relevant information available.

# 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability

\*

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- Incompatible materials: Reacts with oxidizing agents. Reacts with amines. Reacts with strong acids. Reacts with bases.
- *Hazardous decomposition products: Carbon monoxide*
- Carbon dioxide Aldehydes Acids

(Contd. on page 6)

USA

Printing Date 02/22/2017

**Revision Number 2** 

Revision Date 02/22/2017

#### Trade name: MP54190 (Epoxy Resin)

(Contd. of page 5)

### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Causes eye irritation.
- Sensitization: Skin Contact Sensitization possible through skin contact.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

· UN-Number

· DOT, ADN, IMDG, IATA

not regulated

(Contd. on page 7)

USA

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 (Epoxy Resin)

	(Contd. of page
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards: · Marine pollutant:	Yes
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II oj MARPOL73/78 and the IBC Code	f Not applicable.
· Transport/Additional information:	The above DOT information applies to non-bulk containers. Not regulated by D.O.T. if in a container of 119 gallon capacity or less.
· UN "Model Regulation":	not regulated

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· New Jersey Right-to-Know List:

None of the ingredients is listed.

(Contd. on page 8)

USA ·

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 (Epoxy Resin)

(Contd. of page 7)

·New Jersey Special Hazardous Substance	List:
None of the ingredients is listed.	

· Pennsylvania Right-to-Know List:

None of the ingredients is listed.

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

#### · Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · National regulations:

- · Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

- · Creation Date: 02/22/2017
- Date of preparation / last revision 02/22/2017 / 1

· Abbreviations and acronyms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit **REL:** Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



Page 1/8

Printing Date 02/22/2017

**Revision Number 2** 

Revision Date 02/22/2017

# **1 Identification**

#### · Product identifier

· Trade name: <u>MP54190 Part B (Hardener)</u>

· Relevant identified uses of the substance or mixture. Hardener

 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Adhesive Systems, Inc.
 A Division of Royal Adhesives & Sealants, LLC
 9411 Corsair Road

Frankfort, Illinois 60423 Phone Number: 800-552-0299

 Information department: Environment protection department.
 Emergency telephone number: ChemTrec: Day or Night within USA and Canada: 1-800-424-9300. Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

## **2** *Hazard*(*s*) *identification*

· Classification of the substance or mixture

Acute Tox. 4H302Harmful if swallowed.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.Skin Sens. 1H317May cause an allergic skin reaction.

#### · Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



Signal word Warning
Hazard statements
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
May cause an allergic skin reaction.
Precautionary statements
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves / eye protection / face protection.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.

(Contd. on page 2)

<sup>-</sup> USA -

Printing Date 02/22/2017

**Revision Number 2** 

Revision Date 02/22/2017

#### Trade name: MP54190 Part B (Hardener)

	of page 1)
Contaminated work clothing must not be allowed out of the workplace.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.	).
Specific treatment (see on this label).	
IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.	
Wash contaminated clothing before reuse.	
If skin irritation or rash occurs: Get medical advice/attention.	
If eye irritation persists: Get medical advice/attention.	
Rinse mouth.	
IF ON SKIN: Wash with plenty of water.	
Take off contaminated clothing and wash it before reuse.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
• Classification system:	
· NFPA ratings (scale 0 - 4)	
$\begin{array}{c} Health = 2\\ Fire = 1\\ Reactivity = 0 \end{array}$	
· HMIS-ratings (scale 0 - 4)	
HEALTH 2 $Health = 2$	
FIRE 1 Fire = 1	
$\frac{1}{PHYSICAL HAZARD 0} Physical Hazard = 0$	
PHYSICAL HAZARD 0 I hysical Ilazara = 0	
· Other hazards	
· Results of PBT and vPvB assessment	
• <b><i>PBT:</i></b> Not applicable.	
· <b>vPvB</b> : Not applicable.	
**	
3 Composition/information on ingredients	

# · Chemical characterization: Mixtures

· Description: Adhesive

 · Hazardous components:
 5-20%

 68410-23-1
 Polyamide
 5-20%

 61788-32-7
 Hydrogenated Terphenyl
 2.5-10%

 112-24-3
 3,6-diazaoctanethylenediamin
 ≤1.0%

## 4 First-aid measures

#### · Description of first aid measures

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

*Rinse opened eye for 20 minutes under running water. If eye becomes irritated, obtain medical treatment.* • *After swallowing:* 

## Rinse mouth with water.

Do not induce vomiting; immediately call for medical help.

(Contd. on page 3)

USA

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 Part B (Hardener)

· Information for doctor:

- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray.
- Use fire fighting measures that suit the environment.

· Special hazards arising from the substance or mixture No further relevant information available.

· Advice for firefighters

Firefighters use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

· Protective equipment: Protective clothing and respiratory protective device.

## 6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation*
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of contaminated material as waste in accordance with federal state and local regulations. Ensure adequate ventilation.

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Open and handle receptacle with care. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location away from direct heat.
- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

USA ·

**Revision Number 2** 

Revision Date 02/22/2017

# Trade name: MP54190 Part B (Hardener)

Printing Date 02/22/2017

# (Contd. of page 3) · Control parameters · Components with limit values that require monitoring at the workplace: The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits. 61788-32-7 Hydrogenated Terphenyl Long-term value: 5 mg/m<sup>3</sup>, 0.5 ppm REL Long-term value: 4.9 mg/m<sup>3</sup>, 0.5 ppm TLVnonirradiated 112-24-3 3,6-diazaoctanethylenediamin WEEL Long-term value: 6 mg/m<sup>3</sup>, 1 ppm Skin · Additional information: The lists that were valid during the creation were used as basis. · Exposure controls · Personal protective equipment (see listings below) · General protective and hygienic measures: Wash hands before breaks and at the end of work. · Breathing equipment: Not necessary if room is well-ventilated. · Protection of hands: Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. · Material of gloves Nitrile rubber, NBR Chloroprene rubber, CR The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles Safety glasses with side shields. · Body protection: Protective work clothing 9 Physical and chemical properties

<ul> <li>Information on basic physical and chemical properties</li> <li>General Information</li> </ul>		
· Appearance:		
Form:	Liquid	
Color:	MP54190 Amber, MP54190 GR-Gray	
· Odor:	Characteristic	
• Odor threshold:	Not determined.	
· Odor:	Characteristic	

(Contd. on page 5)

USA

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

### Trade name: MP54190 Part B (Hardener)

		(Contd. of page
pH-value:	Not determined.	
· Change in condition		
Melting point:	Undetermined.	
Boiling point:	>392 °C (>738 °F)	
Flash point:	>93 °C (>199 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	373 °C (703 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Flammable limits:		
Lower:	Not determined	
Upper:	Not determined	
Vapor pressure:	Not determined.	
Specific gravity at 20 °C (68 °F):	1.17 g/cm <sup>3</sup> (9.764 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Slightly soluble.	
Partition coefficient (n-octanol/wate	<b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	0.0 %	
Solids content:	Not available	
Other information	No further relevant information available.	

# **10 Stability and reactivity**

- *Reactivity* No further relevant information available.
- · Chemical stability

\*

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Avoid high temperatures. Avoid freezing.
- · Incompatible materials: Reacts with oxidizing agents.
- · Hazardous decomposition products:
- Carbon monoxide

Carbon dioxide



USA

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

#### Trade name: MP54190 Part B (Hardener)

(Contd. of page 5)

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Causes eye irritation.
- Sensitization: Skin Contact Sensitization possible through skin contact.
- · Additional toxicological information:

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: At present there are no ecotoxicological assessments.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation: Must be specially treated adhering to official regulations.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

*	14 Transport information			
	· UN-Number · DOT, ADN, IMDG, IATA	not regulated		

· UN proper shipping name

· DOT, ADN, IMDG, IATA

not regulated

(Contd. on page 7)

USA

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 Part B (Hardener)

	(Contd. of page
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
· Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards: · Marine pollutant:	Yes
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
• Transport/Additional information:	The above DOT information applies to non-bulk containers. Not regulated by D.O.T. if in a container of 119 gallon capacity or less.
· UN "Model Regulation":	not regulated

## **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· (DSL) Canada Dosmestic Substance List

All components of this product are on the DSL(Canada Domestic Substance list) or are exempt from DSL requirements.

· New Jersey Right-to-Know List:

112-24-3 3,6-diazaoctanethylenediamin

· New Jersey Special Hazardous Substance List:

112-24-3 3,6-diazaoctanethylenediamin

(Contd. on page 8)

CO

USA ·

Printing Date 02/22/2017

Revision Number 2

Revision Date 02/22/2017

Trade name: MP54190 Part B (Hardener)

(Contd. of page 7)

· Pennsylvania Right-to-Know List:		
112-24-3	3,6-diazaoctanethylenediamin	

· Pennsylvania Special Hazardous Substance List:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· National regulations:

· Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

Although the information and recommendations set forth in this SDS are presented in good faith and are believed to be correct as of the date of this SDS, Royal Adhesives & Sealants makes no representations as to the completeness or accuracy thereof. Information is supplied on the condition that the persons receiving and using it will make their own determination as to the suitability for their purpose prior to use. In no event will Royal Adhesives & Sealants or any affiliate thereof be responsible for damages of any nature whatsoever resulting from the use or reliance on the information set forth in the SDS.

· Department issuing SDS: Environment protection department.

- · Creation Date: 02/22/2017
- · Date of preparation / last revision 02/22/2017 / 1
- · Abbreviations and acronvms: IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A Skin Sens. 1: Skin sensitisation - Category 1

USA -