

SAFETY DATA SHEET Permabond TA4611B

1. Identification

Product identifier

Product name Permabond TA4611B

Recommended use of the chemical and restrictions on use

Application Adhesive. Sealant.

Details of the supplier of the safety data sheet

Supplier Permabond LLC

14 Robinson Street Pottstown, PA 19464

USA

Telephone: 732-868-1372 or 800-640-7599

Website: www.permabond.com

Emergency telephone number

Emergency telephone Medical: Poison Control Center 866-827-6282 (toll free) or 303-389-1109 Transport:

CHEMTREC 800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200)

and is consistent with the provisions of the United Nations Globally Harmonized System of

Classification and Labeling of Chemicals (GHS).

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

Label elements

Pictogram



Signal word Warning

Hazard statements H315 Causes skin irritation.

H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Permabond TA4611B

Precautionary statements P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/ doctor if you feel unwell.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/ attention.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.

P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Contains BENZYL METHACRYLATE, 2-ETHYLHEXYL METHACRYLATE, TRIETHYLBORANE-1,3-

DIAMINOPROPANE COMPLEX

Other hazards

None under normal conditions.

3. Composition/information on ingredients

Mixtures

BENZYL METHACRYLATE 30-60%

CAS number: 2495-37-6

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 STOT SE 3 - H335

2-ETHYLHEXYL METHACRYLATE

5-10%

CAS number: 688-84-6

Classification

Skin Irrit. 2 - H315

Eye Irrit. 2A - H319

Skin Sens. 1 - H317

STOT SE 3 - H335

Not relevant.

Permabond TA4611B

TRIETHYLBORANE-1,3-DIAMINOPROPANE COMPLEX

1-5%

CAS number: 148861-07-8

REACH registration exemption - < 1 tonne

Classification

Acute Tox. 4 - H312 Skin Corr. 1A - H314 Eye Dam. 1 - H318 Skin Sens. 1 - H317

2-DIMETHYLAMINOETHYL METHACRYLATE

<1%

CAS number: 2867-47-2

Classification

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Skin Sens. 1B - H317

The full text for all hazard statements is displayed in Section 16.

providing appropriate protections.

4. First-aid measures

Description of first aid measures

Inhalation Move the exposed person to fresh air. When breathing is difficult, properly trained personnel

may assist affected person by administering oxygen. If breathing stops, provide artificial

respiration. Get medical attention.

Ingestion Do not induce vomiting unless under the direction of medical personnel. Never give anything

by mouth to an unconscious person. Get medical attention.

Skin Contact Wash skin thoroughly with soap and water. Take off contaminated clothing and wash it before

reuse. Get medical attention.

Eye contact Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical

attention.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation.

Ingestion May cause irritation.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations. Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Permabond TA4611B

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Special hazards arising from the substance or mixture

Hazardous combustion

Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide,

products

and unknown hydrocarbons.

Advice for firefighters

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid discharge into drains.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste

disposal containers and seal securely.

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Keep container

tightly sealed when not in use. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 44°F and 77°F. Never return

unused material to storage receptacle.

Specific end uses(s)

Usage description Adhesive. Sealant.

8. Exposure controls/Personal protection

Exposure controls

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Observe any occupational exposure

limits for the product or ingredients.

Hand protection Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should

not be worn.

Other skin and body

protection

Employee must wear appropriate protective clothing and equipment to prevent any possibility

of skin contact with this substance.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protection
No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs. Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Permabond TA4611B

9. Physical and chemical properties

Information on basic physical and chemical properties

Odor Acrylic

Odor threshold Not available.

pH Not relevant.

Melting point Not available.

Initial boiling point and range Not applicable.

Flash point > 100°C/212°F

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1

Solubility(ies) Miscible with the following materials: Organic solvents.

Partition coefficient Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity 12000 cP @ 25°C

Oxidizing properties Not available.

Other information Not relevant.

Volatile organic compound <2 %, 20 grams/liter (Estimated)

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

There are no known reactivity hazards associated with this product. Polymerization may occur

at elevated temperature or in the presence of incompatible materials

Conditions to avoid Avoid the absence of air, and metal contamination.

Materials to avoid Metals and their salts. Free radical initiators. Strong alkalis. Strong reducing agents.

Hazardous decomposition

products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds.

11. Toxicological information

Information on toxicological effects

Permabond TA4611B

Toxicological effectsThe toxicological properties of this product have not been fully evaluated. Use of good

industrial hygiene practices is required. Avoid direct contact with skin or eyes. Do not ingest or

inhale.

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitization

Respiratory sensitizationBased on available data the classification criteria are not met.

Skin sensitization

Skin sensitization May cause sensitisation by skin contact.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity No component of this product present at levels great than or equal to 0.1% is identified as a

known carcinogen.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure May cause respiratory irritation.

Target organs Respiratory tract

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation May cause respiratory system irritation.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin Contact Causes skin irritation.

Eye contact Irritating to eyes.

Acute and chronic health

May cause respiratory system irritation. This product may cause skin and eye irritation.

hazards

Route of exposure Inhalation Skin and/or eye contact

Toxicological information on ingredients.

BENZYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅₀ 3

3,980.0

mg/kg)

Permabond TA4611B

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

Species Rat

Acute toxicity - inhalation

Notes (inhalation LC50) No information available.

Skin corrosion/irritation

Animal data Erythema/eschar score: Very slight erythema - barely perceptible (1). Fully

reversible within 72 hours. Slightly irritating.

Serious eye damage/irritation

Serious eye Not irritating.

damage/irritation

Skin sensitization

Skin sensitization Local Lymph Node Assay (LLNA) - Mouse: Sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation: Negative.

Carcinogenicity

Carcinogenicity No information available.

Reproductive toxicity

Reproductive toxicity - No.

No evidence of reproductive toxicity in animal studies.

fertility

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 500 mg/kg, Oral, Rat

Aspiration hazard

Aspiration hazard Not available.

2-ETHYLHEXYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅o

2,000.1

mg/kg)

Species Rat

Acute toxicity - dermal

Notes (dermal LD₅₀) No information available.

Acute toxicity - inhalation

Notes (inhalation LC50) No information available.

Skin corrosion/irritation

Permabond TA4611B

Human skin model test Not irritating.

Serious eye damage/irritation

Serious eye

Not irritating.

damage/irritation

Skin sensitization

Skin sensitization Local Lymph Node Assay (LLNA) - Mouse: Not sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitro Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity NOAEC >= 2.05 mg/l, Inhalation, Rat

Reproductive toxicity

Reproductive toxicity -

fertility

Screening - NOAEL 300 mg/kg/day, Oral, Rat F1

Reproductive toxicity -

development

Developmental toxicity: - LOAEL: 1000 mg/kg/day, Oral, Rat

Specific target organ toxicity - single exposure

STOT - single exposure Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not available.

Aspiration hazard

Aspiration hazard Not available.

2-DIMETHYLAMINOETHYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD50

2,000.0

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.0

mg/kg)

Species Rat

Skin corrosion/irritation

Skin corrosion/irritation Corrosive to skin.

Serious eye damage/irritation

Serious eye Corrosive Possible risk of irreversible effects.

damage/irritation

Skin sensitization

Skin sensitization Sensitizing.

Germ cell mutagenicity

Permabond TA4611B

Genotoxicity - in vitro

This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No specific test data are available.

Aspiration hazard

Aspiration hazard Not applicable.

12. Ecological information

Toxicity No data available.

Bioaccumulative potential

Partition coefficient Not available.

13. Disposal considerations

Waste treatment methods

General information Empty containers may contain product residue; follow SDS and label warnings even after they

have been emptied.

Disposal methods Dispose of according to Federal, State and local governmental regulations.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.
UN No. (DOT) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Proper shipping name (DOT) Not applicable.

Transport hazard class(es)

Transport Labels

No transport warning sign required.

(International)

DOT transport labels

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

DOT packing group Not applicable.

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

Not applicable.

Permabond TA4611B

DOT reportable quantity

Not applicable.

DOT TIH Zone

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None above reporting levels

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None above reporting limits

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None above reporting limits

SARA 313 Emission Reporting

None above reporting limits

SARA (311/312) Hazard Categories

Acute Chronic

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None above reporting limits

16. Other information

Classification abbreviations Eye Irrit. = Eye irritation and acronyms Skin Irrit. = Skin irritation

Skin Sens. = Skin sensitisation

STOT SE = Specific target organ toxicity-single exposure

Revision date 4/30/2019

Revision 1

Permabond TA4611B

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.