

Revision Date 03-May-2020

# SAFETY DATA SHEET

Version 2

# **1. IDENTIFICATION**

Product identifier Product Name

PERMATEX 90 MINUTE RIGHT STUFF 3 OZ.

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseSealantUses advised againstNo information available

25228

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

# Chemical Concepts Our expertise is your solution chemical-concepts.com 800.220.1966 410 Pike Road • Huntingdon Valley, PA 19006

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

# 2. HAZARDS IDENTIFICATION

### **Classification**

## OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Serious eye damage/eye irritation	Category 2A
Skin sensitization	Category 1
Carcinogenicity	Category 2

#### Label elements

**Emergency Overview** 

<u>Signal word</u> Warning

Causes serious eye irritation May cause an allergic skin reaction Suspected of causing cancer



# **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get medical advice/attention Wash contaminated clothing before reuse

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC) Not applicable

## **Other Information**

Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
CALCIUM CARBONATE	471-34-1	10 - 30
LIMESTONE	1317-65-3	10 - 30
STEARIC ACID	57-11-4	1 - 5
2-BUTANONE OXIME	96-29-7	0.5-2.0
CARBON BLACK	1333-86-4	0.1 - 1

# **4. FIRST AID MEASURES**

**Description of first aid measures** 

**General advice** 

If symptoms persist, call a physician.

Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms persist, call a physician.	
Skin contact	IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. Immediate medical attention is not required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.	
Inhalation	Immediate medical attention is not required. If symptoms persist, call a physician. Move to fresh air in case of accidental inhalation of vapors or decomposition products.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. Call a physician. Do NOT induce vomiting.	
Self-protection of the first aider	Use personal protective equipment as required.	
Most important symptoms and effects, both acute and delayed		
Symptoms	See section 2 for more information.	
Indication of any immediate medical attention and special treatment needed		
Note to physicians	Treat symptomatically.	
5. FIRE-FIGHTING MEASURES		

# Suitable extinguishing media

Use, Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam

# Unsuitable extinguishing media

None

## Specific hazards arising from the chemical

Keep product and empty container away from heat and sources of ignition. Risk of ignition.

## Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

# Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Pay attention to flashback. Take precautionary measures against static discharges. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	See section 12 for additional ecological information. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

	or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers. Take precautionary measures against static discharges.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
	7. HANDLING AND STORAGE	
Precautions for safe handling		
Advice on safe handling	Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapors).	
Conditions for safe storage, includ	ing any incompatibilities	
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep away from heat. Keep in properly labeled containers.	
Incompatible materials	Strong oxidizing agents, Acids, Water	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		

## Control parameters

#### **Exposure Guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
CALCIUM CARBONATE	-	-	TWA: 10 mg/m <sup>3</sup> total dust
471-34-1			TWA: 5 mg/m <sup>3</sup> respirable dust
LIMESTONE	-	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 10 mg/m <sup>3</sup> total dust
1317-65-3		TWA: 5 mg/m <sup>3</sup> respirable fraction	TWA: 5 mg/m <sup>3</sup> respirable dust
		(vacated) TWA: 15 mg/m <sup>3</sup> total	
		dust	
		(vacated) TWA: 5 mg/m <sup>3</sup> respirable	
		fraction	
STEARIC ACID	TWA: 10 mg/m <sup>3</sup> inhalable	-	-
57-11-4	particulate matter		
	TWA: 3 mg/m <sup>3</sup> respirable		
	particulate matter		
CARBON BLACK	TWA: 3 mg/m <sup>3</sup> inhalable particulate	TWA: 3.5 mg/m <sup>3</sup>	IDLH: 1750 mg/m <sup>3</sup>
1333-86-4	matter	(vacated) TWA: 3.5 mg/m <sup>3</sup>	TWA: 3.5 mg/m <sup>3</sup>
			TWA: 0.1 mg/m <sup>3</sup> Carbon black in
			presence of Polycyclic aromatic
			hydrocarbons PAH

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

## Appropriate engineering controls

#### Engineering Controls Showers Eyewash stations Ventilation systems

## Individual protection measures, such as personal protective equipment

Eye/face protection	Tight sealing safety goggles.
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.			
General Hygiene Considerations	When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.			
	-			
	9. PHYSICAL AND CHEMICAL	PROPERTIES		
0.4 lafe mustice and basis about all				
9.1. Information on basic physical a	Paste Liquid			
Physical state	Black			
Appearance Odor	Mild			
Odor threshold	No information available			
Odor threshold	NO INOTTALION AVAILABLE			
Property	Values	Remarks • Method		
pH	No information available	itematice include		
Melting point / freezing point	No information available			
Boiling point / boiling range	No information available Not	Polymerization		
	Applicable	l'olymonzation		
Flash point	> 95 °C / > 203 °F	Tag Closed Cup		
Evaporation rate	No information available			
Flammability (solid, gas)	No information available			
Flammability Limit in Air				
Upper flammability limit:	No information available			
Lower flammability limit:	No information available			
Vapor pressure	<5 mmHg @ 70°F			
Vapor density	3	Air = 1		
Relative density	1.44			
Water solubility	Not applicable	Polymerization		
Solubility(ies)	No information available	,		
Partition coefficient	No information available			
Autoignition temperature	No information available			
Decomposition temperature	No information available			
Kinematic viscosity	No information available			
Dynamic viscosity	No information available			
Explosive properties	No information available			
Oxidizing properties	No information available			
Other Information				
Other Information	No information available			
Softening point	No information available			
Molecular weight	No information available			
VOC Content (%)	<3%			

VOC Content (%) Density Bulk density SADT (self-accelerating decomposition temperature)

# **10. STABILITY AND REACTIVITY**

No information available

No information available

No information available

# Reactivity

No information available

<u>Chemical stability</u> Stable under normal conditions

Possibility of Hazardous Reactions None under normal processing.

Conditions to avoid Heat, flames and sparks.

#### Incompatible materials

Strong oxidizing agents, Acids, Water

#### Hazardous Decomposition Products

Carbon oxides Nitrogen oxides (NOx) Formaldehyde May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	May cause irritation of respiratory tract.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.
Ingestion	Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
CALCIUM CARBONATE 471-34-1	= 6450 mg/kg (Rat)	-	-
STEARIC ACID 57-11-4	= 4600 mg/kg (Rat)	> 5 g/kg (Rabbit)	-
2-BUTANONE OXIME 96-29-7	= 930 mg/kg (Rat)	1000 - 1800 mg/kg (Rabbit)	> 4.83 mg/L (Rat)4 h
CARBON BLACK 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-

#### Information on toxicological effects

## Symptoms

No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No information available. No information available. The table below indicates whether each agency has listed any ingredient as a carcinogen.			
Chemical Name	ACGIH	IARC	NTP	OSHA
CARBON BLACK 1333-86-4	A3	Group 2B	-	X
ACGIH (American Conference of Governmental Industrial Hygienists) A3 - Animal Carcinogen IARC (International Agency for Research on Cancer) Group 2B - Possibly Carcinogenic to Humans OSHA (Occupational Safety and Health Administration of the US Department of Labor) X - Present				
Target Organ Effects	Eyes, Lymph	atic System, Respiratory	system, Skin.	
The following values are calculated based on chapter 3.1 of the GHS documentATEmix (oral)14336MTEmix (dermal)23720mg/kg				

**12. ECOLOGICAL INFORMATION** 

#### **Ecotoxicity**

0.01 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

## Persistence and degradability

No information available.

#### **Bioaccumulation**

No information available.

#### Mobility

No information available.

Chemical Name	Partition coefficient
2-BUTANONE OXIME	0.65
96-29-7	

# Other adverse effects

No information available

# **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

# **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

15. REGULATORY INFORMATION			
International Inventories			
TSCA	Complies		
DSL/NDSL	Complies		
EINECS/ELINCS	Complies		
ENCS	Not determined		
IECSC	Complies		
KECL	Complies		
PICCS	Complies		
AICS	Complies		

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances **ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

AICS - Australian Inventory of Chemical Substances

## **US Federal Regulations**

#### <u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	
Acute health hazard	Yes
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

# US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65	
CARBON BLACK 1333-86-4	*Carcinogen (airborne, unbound particles of respirable size)	
CRYSTALLINE SILICA 14808-60-7	*Carcinogen	

• \*The asterisked chemical(s) listed are not subject to Proposition 65 because they are not airborne in the finished product U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
LIMESTONE	Х	X	Х
1317-65-3			
ALUMINIUM POWDER	Х	Х	Х
7429-90-5			
CARBON BLACK	Х	Х	Х
1333-86-4			
CRYSTALLINE SILICA	Х	Х	Х
14808-60-7			

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### WHMIS Hazard Class

D2A - Very toxic materials

# **16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION**

NFPA	
HMIS	

Health hazards 2 Health hazards 2 Flammability 1 Flammability 1 Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

03-May-2020

#### **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

End of Safety Data Sheet

