

 **ChemicalTM
Concepts**
Our expertise is your solution.
chemical-concepts.com
800.220.1966
410 Pike Road • Huntingdon Valley, PA 19006



Tensorgrip[®] G67

WATER-BASED
PRESSURE SENSITIVE
FLOORING ADHESIVE



WHAT IS TENSORGRIP® G67?

Tensorgrip® G67 is a water-based, spray grade pressure sensitive flooring adhesive. This unique, portable canister system has been shown to decrease installation times by as much as 70% when compared to troweled or rolled-on adhesives. Plus, it can be applied while standing, rather than a kneeled position.

Tensorgrip® G67 is the only all-in-one portable spray adhesive system in the flooring market. Its performance is unparalleled not only with its superior adhesion qualities, but in speed of application and quantity of coverage.



WHAT SIZES OF TENSORGRIP® ARE AVAILABLE?



Aerosol - 650ml (22 FL OZ)

This convenient aerosol is great for small applications or for less-frequent users. Small but sticks all the same! Our aerosol can is now featured with our new exclusive No-Slip ProTip.



Large - 22L

Our most popular adhesive container, the 22L canister is great for production where ultimate portability is required.

3 REASONS YOU NEED TENSORGRIP® G67 FLOORING ADHESIVE

UNPARALLELED PERFORMANCE

Experience a high performance adhesive so strong, we guarantee the bond. All while staying repositionable during installation, so you can easily replace or rearrange flooring.

LESS TIME. MORE PROFIT.

Reduce install time by up to 70% and be ready for traffic immediately. Save time with a high application speed of between 200–800 sq ft per minute, depending on the size of the area.

POWERFULLY SIMPLE

Say goodbye to aching knees caused by laborious trowel adhesives. Our canister system allows you to spray adhesive while standing up, and requires very little clean up or maintenance.



OUR TENSORGRIP® G67 ADHESIVE RANGE

Aspiring to be your "Most Valued Supplier"

G67

Water-Based Pressure Sensitive Flooring Adhesive

Tensorgrip® G67 is a water-based, spray pressure sensitive flooring adhesive in a canister. Tensorgrip® G67 can be used for carpet tile, LVT/LVP/VCT, vinyl tile, vinyl plank, and underlayment, and allows substrate to be laid into the wet adhesive without giving a permanent bond when dried.

Advantages:

- Ready for traffic immediately
- High application speed of up to 200 sq ft per min. (small areas) and 800 sq ft per min. (large areas)
- Excellent adhesion on most carpet tiles and LVT/LVP/VCT
- 100% Non-flammable, water-based pressure sensitive adhesive
- Repositionable during installation
- Can be wet laid—ensure that at least one surface to be bonded is porous, such as wood or concrete
- Resistant to plasticizer migration—great for PVC and carpet tiles
- Extremely high coverage—One 22 liter canister is equivalent to 8–10 pails.
- Ergonomic, portable system
- Zero VOC, California compliant

Application Tools:

- Hose: M130
- Gun: M125
- Recommended Tip: UniJet® 110015B (Large Areas) ; UniJet® 6501B (Small Areas)



TDS/SDS

Substrates:



Carpet Tile LVT/LVP/VCT Underlayment

Properties:



Available Sizes:



Large
22L

Available Colors:



Clear

G67-AA



TDS/SDS

Water-Based Pressure Sensitive Flooring Adhesive

Tensorgrip® G67 Aerosol Can is a water based pressure sensitive flooring adhesive, suited for small jobs and repair jobs. Tensorgrip G67 is formulated for bonding carpet tile, LVT/LVP/VCT and underlayment and allows for material to be laid into wet adhesive and a releasable bond when dried. Formulated with CO-REZ Technology, which is an exceptional formulation incorporating a highly engineered resin and gas matrix. The result: Greater Coverage from Less Aerosol Weight. Incorporating the unique and innovative No-Slip ProTip nozzle design eliminating annoying and costly nozzle slip offs.



Advantages:

- CO-REZ Formula. Higher Coverage from Less Aerosol Weight
- Excellent Adhesion to most carpet tiles and LVT/LVP/VCT.
- Plasticizer Resistant
- No-Slip ProTip eliminates nozzle slip-offs
- Designed for Small Jobs / Repair Jobs. For Large Areas, use G67 Canisters
- Extreme High Coverage 160 - 200 sq ft.
- High Application Speed
- Repositionable during installation.
- Releasable bond for ease of flooring replacement
- 100% Non-flammable
- Can be wet laid when at least one surface is porous, such as wood or concrete
- Zero VOC, California SCAQMD Rule 1168 Compliant

Substrates:



Carpet Tile LVT/LVP/VCT Underlayment

Properties:



Available Sizes:



Aerosol
650ml
(22 FL OZ)



OUR TENSORGRIP® G67 ADHESIVE RANGE

Aspiring to be your "Most Valued Supplier"



OUR WEBSITE

APPLICATION

CLEAN

Ensure the floor is dry, clean and free of dust and dirt. Subfloor preparation along with moisture and PH testing must comply with industry standards, and floorcovering manufacturer's guidelines.



SPRAY

No more kneeling to trowel. After connecting spray gun and hose, put the Tensorgrip® G67 canister into the trolley and simply spray adhesive onto desired area. Use Tensorgrip® G67 Wallguard to protect walls from overspray.

Turn off fans while spraying to minimize air movement.




INSTALL

Tensorgrip® G67 is quick drying, between 2–10 minutes depending on environmental conditions. Once adhesive is dry to touch, flooring can be installed and is ready for traffic immediately. Tensorgrip® G67 remains repositionable during installation.



For best results, hold spray gun 18–30" above floor at a 40° angle.



CLEANERS



OUR TENSORGRIP® G67 ADHESIVE RANGE

Aspiring to be your "Most Valued Supplier"

MAINTENANCE

**CLEANUP IS QUICK
AND EASY WITH
WATER-BASED
TENSORGRIP® G67!**



chemical-concepts.com

800.220.1966

410 Pike Road • Huntingdon Valley, PA 19006

SPRAY GUN & HOSE MAINTENANCE

- When finished spraying G67, turn trigger lock to the locked position.
- Clean excess adhesive off spray gun with water or S104 cleaner.
- Leave hose and spray gun connected and canister valve in the open position.
- After a project, if canister will be unused for an extended period of time, attach hose and spray gun to your M301 Cleanout Hose Adapter, connect to a water supply and flush out.
- During a break in your project, always insert your spray gun wand and tip into the water reservoir on the trolley. This will keep your spray tip from clogging up between jobs and breaks.
- To eliminate clogs when not using the trolley, use the Tensorgrip® S104 Adhesive Cleaner/Remover to keep your tip from clogging up



S104

Adhesive Cleaner & Remover

Tensorgrip® S104 is an adhesive cleaner and remover designed to safely and powerfully remove adhesives and other tough substances.

Advantages:

- Exceptional cleaning and degreasing power
- Non-corrosive
- Compatible for most plastics
- Cleans hoses, spray guns, and other adhesive equipment
- Decal adhesive residue removal



Properties:



Mist Spray

Available Sizes:




Large
22L



Aerosol
650ml
(22 FL OZ)



TDS/SDS



TOOLS



MI20

Adjustable Spray Gun

Heavy duty, built to last through steady industrial use. This is your go-to spray gun, compatible with all of our spray tips and suitable for every industry.



MI25

Wand Spray Gun

The fastest, easiest application of canister spray adhesives ever! Extend your reach, save your back and cut down on application time with a wide fan web spray. Suitable for most web spray products. Best for applications where bending over or reaching is required.



UniJet® II0015B Spray Tip

For use in larger coverage areas.

UniJet® 6501B Spray Tip (Not Pictured)

For use in small areas.





OUR TENSORGRIP® G67 ADHESIVE RANGE

Aspiring to be your "Most Valued Supplier"

MI30

Flexible Rubber Hose

The standard rubber coated hose is designed for use in heavy industrial situations. Maintains excellent flexibility and durability even through rigorous daily use.

Available Lengths:

- 12'
- 18'



M301

Cleanout Hose Adapter

Easily clean water-based adhesive out of your spray hose by attaching M301 adapter, and connecting to running water source.





M510-22

Canister Trolley System

The ideal solution for shop and large field jobs where portability is of the essence. The trolley allows a seamless spray application and easy transport of the 22L canister.

Advantages:

- Easy to use
- No more tangled hoses
- No more lugging canisters around
- No more struggling to hold canister in one hand while spraying with the other
- Powder-coated surface; makes it tough and stain-resistant



Need more information? Have questions? Get in touch with our adhesive enthusiasts today. We're waiting for you to contact us!

CALL:

+1 402 731 3636

E-MAIL:

info.us@quin-global.com

VISIT:

www.tensorgrippg67.com/

www.tensorglobal.com/

www.quinglobal.com

QUIN GLOBAL AMERICAS

5510 F Street

Omaha, NE 68117

USA



**Chemical™
Concepts**
Our expertise is your solution.

chemical-concepts.com
800.220.1966
410 Pike Road • Huntingdon Valley, PA 19006



Aspiring to be your “Most Valued Supplier”

QUIN GLOBAL AMERICAS
5510 F Street
Omaha, NE 68117
USA

www.tensorgrip67.com/
www.tensorglobal.com/
www.quinglobal.com
info.us@quin-global.com
+1 402 731 3636

QUIN
GLOBAL

