

# SAFETY DATA SHEET

Revision Date 17-May-2020 Version 6

### 1. IDENTIFICATION

**Product identifier** 

Product Name 66MA POWER BEAD CLEAR RTV SILICONE 7.25 OZ AE

Other means of identification

Product Code 85913

Recommended use of the chemical and restrictions on use

Recommended Use Sealant

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex

(866) 732-9502

24-hour emergency phone number

Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585

Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by:

ITW Permatex Canada 101-2360 Bristol Circle

Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

## 2. HAZARDS IDENTIFICATION

## Classification

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Gases under pressure	Compressed gas

#### Label elements

## **Emergency Overview**

Signal word Warning

Causes skin irritation Causes serious eye irritation Contains gas under pressure; may explode if heated

Chemical Concepts
Our expertise is your solution.
Chemical-concepts.com
800.220.1966
410 Pike Road \* Huntingdon Valley, PA 19006

Revision Date 17-May-2020



Appearance Clear Physical state Paste Liquid Odor Acetic acid

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Not applicable.

Unknown acute toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
AMORPHOUS SILICA	7631-86-9	7 - 13
ACETIC ACID	64-19-7	1 - 5

### 4. FIRST AID MEASURES

## **Description of first aid measures**

**General advice** If symptoms persist, call a physician.

Eye contact Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Keep eye wide open while rinsing. If symptoms

persist, call a physician.

Skin contact Immediate medical attention is not required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. If skin irritation persists, call a

physician.

7.23 OZ AE

**Inhalation** Immediate medical attention is not required. If symptoms persist, call a physician. Move to

fresh air in case of accidental inhalation of vapors or decomposition products.

Revision Date 17-May-2020

**Ingestion** Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth

to an unconscious person. Call a physician. Do NOT induce vomiting.

**Self-protection of the first aider**Use personal protective equipment as required.

Most important symptoms and effects, both acute and delayed

**Symptoms** See section 2 for more information.

Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use, Use dry chemical, Carbon dioxide (CO2), Water spray (fog), Alcohol resistant foam

Unsuitable extinguishing media

None

Specific hazards arising from the chemical

Contains gas under pressure; may explode if heated. Keep product and empty container away from heat and sources of ignition. Risk of ignition.

**Explosion data** 

Sensitivity to Mechanical Impact None.
Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Contents under pressure. Do not puncture or

incinerate cans. Use personal protective equipment as required. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Pay attention to flashback. Take precautionary measures against static discharges.

Environmental precautions

**Environmental precautions** See section 12 for additional ecological information. Do not flush into surface water or

sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product

from entering drains.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Flood with water to complete polymerization and scrape off

floor. Sweep up and shovel into suitable containers for disposal. Slippery, can cause falls if walked on. Soak up with inert absorbent material. Dam up. Pick up and transfer to properly

labeled containers. Take precautionary measures against static discharges.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

### 7. HANDLING AND STORAGE

### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly

after handling. Avoid contact with skin, eyes or clothing. Contents under pressure. Do not puncture or incinerate cans. Use with local exhaust ventilation. All equipment used when handling the product must be grounded. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use personal protective equipment as required. Do not breathe dust/fume/gas/mist/vapors/spray. Take necessary action to avoid static electricity discharge

Revision Date 17-May-2020

(which might cause ignition of organic vapors).

### Conditions for safe storage, including any incompatibilities

Storage Conditions Protect from sunlight. Store in a well-ventilated place. Protect from moisture. Keep away

from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep containers tightly closed in a cool, well-ventilated place. Keep away

from heat. Keep in properly labeled containers.

Incompatible materials Strong oxidizing agents

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
AMORPHOUS SILICA	-	TWA: 50 μg/m <sup>3</sup> excludes	IDLH: 3000 mg/m <sup>3</sup>
7631-86-9		construction work, agricultural	TWA: 6 mg/m <sup>3</sup>
		operations, and exposures that	-
		result from the processing of	
		sorptive clays	
		(vacated) TWA: 6 mg/m <sup>3</sup> <1%	
		Crystalline silica	
		TWA: 20 mppcf	
		: (80)/(% SiO2) mg/m <sup>3</sup> TWA	
ACETIC ACID	STEL: 15 ppm	TWA: 10 ppm	IDLH: 50 ppm
64-19-7	TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup>	TWA: 10 ppm
	1	(vacated) TWA: 10 ppm	TWA: 25 mg/m <sup>3</sup>
		(vacated) TWA: 25 mg/m <sup>3</sup>	STEL: 15 ppm
			STEL: 37 mg/m <sup>3</sup>

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

**Eye/face protection** Tight sealing safety goggles.

Skin and body protection Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.

Respiratory protection Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

Revision Date 17-May-2020

**General Hygiene Considerations** 

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and

Air = 1

Polymerization

clothing is recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Paste Liquid
Appearance Clear
Odor Acetic acid

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Melting point / freezing point No information available

Boiling point / boiling range No information available Not Polymerization

Applicable

Flash point > 93 °C / > 199 °F
Evaporation rate No information available
Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: No information available Lower flammability limit: No information available

Vapor pressure <5 mm Hg Vapor density >1

Relative density 1.01

Water solubility Not applicable

Solubility(ies) No information available **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

Other Information

Softening point No information available Molecular weight No information available

VOC Content (%)

Density

No information available

Bulk density

No information available

No information available

No information available

decomposition temperature)

### 10. STABILITY AND REACTIVITY

Reactivity

No information available

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Heat, flames and sparks.

Incompatible materials

Strong oxidizing agents

Revision Date 17-May-2020

## **Hazardous Decomposition Products**

Carbon oxides Nitrogen oxides (NOx) Acetic acid Oxides of sulfur Formaldehyde

## 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

**Inhalation** May cause irritation of respiratory tract.

Eye contact Contact with eyes may cause irritation. May cause redness and tearing of the eyes.

**Skin contact** May cause skin irritation and/or dermatitis.

**Ingestion** Ingestion may cause irritation to mucous membranes.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50	
AMORPHOUS SILICA = 7900 mg/kg (Rat) 7631-86-9		> 5000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h	
ACETIC ACID = 3310 mg/kg (Rat) 64-19-7		= 1060 mg/kg ( Rabbit )	= 11.4 mg/L (Rat)4 h	

## Information on toxicological effects

**Symptoms** No information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
AMORPHOUS SILICA	<del>-</del>	Group 3	Known	X
7631-86-9		·		

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Target Organ Effects Eyes, Respiratory system, Skin, Teeth.

#### The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 20225 mg/kg ATEmix (dermal) 11041 mg/kg ATEmix (inhalation-dust/mist) 4.4 mg/l

## 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

13 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

Revision Date 17-May-2020

### **Mobility**

No information available.

Chemical Name	Partition coefficient
ACETIC ACID	-0.31
64-19-7	

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

**US EPA Waste Number** Not applicable

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
ACETIC ACID	Toxic
64-19-7	Corrosive
	Ignitable

## 14. TRANSPORT INFORMATION

DOT

**UN/ID No** 1950

**Ethanol** Aerosols, Limited Quantity (LQ)

**Hazard Class** 2.2 126 **Emergency Response Guide** 

Number

**IATA** 

UN/ID No ID 8000

Ethanol Consumer commodity

**Hazard Class ERG Code** 9L

**IMDG** 

UN/ID No 1950

**Ethanol** Aerosols, Limited Quantity (LQ)

**Hazard Class** 2.2 F-D, S-U EmS-No

## 15. REGULATORY INFORMATION

**International Inventories** 

**TSCA** Complies **DSL/NDSL** Complies Complies **EINECS/ELINCS** Complies **ENCS** 

# 85913 - 66MA POWER BEAD CLEAR RTV SILICONE

7.25 OZ AE

Revision Date 17-May-2020

IECSCCompliesKECLCompliesPICCSCompliesAICSComplies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

### SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard No
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

### **CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
ACETIC ACID	5000 lb	-	-	X
64-19-7				

### CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ACETIC ACID	5000 lb	=	RQ 5000 lb final RQ
64-19-7			RQ 2270 kg final RQ

### **US State Regulations**

### **California Proposition 65**

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
AMORPHOUS SILICA	*Carcinogen
7631-86-9	

### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
NITROGEN	X	X	X
7727-37-9			
ACETIC ACID	X	X	X
64-19-7			

### **U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

### **WHMIS Hazard Class**

A Compressed gases

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 2 Instability 0

HMIS Health hazards 1 Flammability 2 Physical hazards 0 Personal protection B

NFPA (National Fire Protection Association)
HMIS (Hazardous Material Information System)

Revision Date 17-May-2020

#### Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

**End of Safety Data Sheet** 



Revision Date 17-May-2020