

Revision Date 07-May-2020

# SAFETY DATA SHEET

Version 4

### **1. IDENTIFICATION**

Product identifier Product Name

SEAL+LOCK THREAD COMPOUND 35 ML

Other means of identification Product Code

Recommended use of the chemical and restrictions on useRecommended UseSealantUses advised againstNo information available

57535

Details of the supplier of the safety data sheet Manufacturer Address ITW Permatex 6875 Parkland Blvd. Solon, Ohio 44139 USA Telephone: 1-87-Permatex (866) 732-9502 24-hour emergency phone number Chem-Tel: 800-255-3924 International Emergency: 00+1+ 813-248-0585 Contract Number: MIS0003453

E-mail address: mail@permatex.com

May Also Be Distributed by: ITW Permatex Canada 101-2360 Bristol Circle Oakville, ON Canada L6H 6M5 Telephone: (800) 924-6994

2. HAZARDS IDENTIFICATION

### **Classification**

### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


Skin corrosion/irritation	Category 2
Serious eye damage/eye irritation	Category 2A
Carcinogenicity	Category 1B
Specific target organ toxicity (repeated exposure)	Category 2

### Label elements

### **Emergency Overview**

# Signal word Danger Causes skin irritation Causes serious eye irritation May cause cancer May cause damage to organs through prolonged or repeated exposure May cause damage to organs through prolonged or repeated exposure

800.220.1966 410 Pike Road • Huntingdon Valley, PA 19006



### **Precautionary Statements - Prevention**

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required Wash face, hands and any exposed skin thoroughly after handling Wear eye/face protection Do not breathe dust/fume/gas/mist/vapors/spray

### **Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention Specific treatment (see .? on this label)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

### Hazards not otherwise classified (HNOC)

Not applicable

### **Other Information**

Toxic to aquatic life with long lasting effects.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No	Weight-%
DIMETHYLBENZYL	80-15-9	1 - 5
HYDROPEROXIDE		
CUMENE	98-82-8	0.1 - 1

### **4. FIRST AID MEASURES**

### Description of first aid measures

**General advice** 

Get medical advice/attention if you feel unwell.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse.
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Self-protection of the first aider	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.
Most important symptoms and effe	cts, both acute and delayed
Symptoms	See section 2 for more information.
Indication of any immediate medica	al attention and special treatment needed
Note to physicians	Treat symptomatically.
	5. FIRE-FIGHTING MEASURES
Suitable extinguishing media Carbon dioxide (CO2), Use dry chemi	cal, Foam
<u>Unsuitable extinguishing media</u> None	
Specific hazards arising from the c None in particular.	hemical
Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. None.
<b>Protective equipment and precaution</b> As in any fire, wear self-contained bree protective gear.	ons for firefighters athing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full
	6. ACCIDENTAL RELEASE MEASURES
Personal precautions, protective ec	uipment and emergency procedures
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Use personal protective equipment as required.
Environmental precautions	
Environmental precautions	See section 12 for additional ecological information.
Methods and material for containm	ent and cleaning up
Methods for containment	Prevent further leakage or spillage if safe to do so.
Methods for cleaning up	Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

**Prevention of secondary hazards** Clean contaminated objects and areas thoroughly observing environmental regulations.

# 7. HANDLING AND STORAGE

# Advice on safe handlingHandle in accordance with good industrial hygiene and safety practice. Avoid breathing<br/>vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.<br/>Wash contaminated clothing before reuse. Use personal protective equipment as required.Conditions for safe storage, including any incompatibilitiesStorage ConditionsStorage ConditionsStore locked up. Keep container tightly closed in a dry and well-ventilated place.Incompatible materialsStrong oxidizing agents8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Precautions for safe handling

### Control parameters

# Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
CUMENE	TWA: 50 ppm	TWA: 50 ppm	IDLH: 900 ppm
98-82-8		TWA: 245 mg/m <sup>3</sup>	TWA: 50 ppm
		(vacated) TWA: 50 ppm	TWA: 245 mg/m <sup>3</sup>
		(vacated) TWA: 245 mg/m <sup>3</sup>	-
		(vacated) S*	
		S*	

NIOSH IDLH Immediately Dangerous to Life or Health

**Other Information** 

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

### Appropriate engineering controls

Engineering Controls	Showers Eyewash stations Ventilation systems
Individual protection measures, su	ch as personal protective equipment
Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves.
Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical a Physical state Appearance Odor Odor threshold	<b>Ind chemical properties</b> Viscous liquid Dark Violet Methyl methacrylate No information available	
<u>Property</u> pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate	<u>Values</u> No information available No information available > 200 °C / > 392 °F 95 °C / 203 °F No information available	<u>Remarks • Method</u>

Flammability (solid, gas) Flammability Limit in Air	No information available
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Relative density	No information available
Water solubility	Immiscible in water
Solubility(ies)	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Kinematic viscosity	No information available
Dynamic viscosity	250,000-600,000 mPas @ 20°C (68°F)
Explosive properties	No information available
Oxidizing properties	No information available
Oxidizing properties	
Other Information	
Softening point	No information available
Molecular weight	No information available
VOC Content (%)	2
Density	No information available
Bulk density	No information available
SADT (self-accelerating	No information available
decomposition temperature)	
······································	
	10. STABILITY AND REACTIVITY

### **Reactivity**

No information available

### Chemical stability

Stable under normal conditions

### Possibility of Hazardous Reactions

None under normal processing.

# Conditions to avoid

Excessive heat.

### Incompatible materials Strong oxidizing agents

### Hazardous Decomposition Products

Carbon oxides

### **11. TOXICOLOGICAL INFORMATION**

### Information on likely routes of exposure

homical Namo	Oral J D50	Dormal   D50	Inholotion I CE0
Ingestion	Ingestion may cause irritation to mucous membranes.		
Skin contact	May cause skin irritation and/or dermatitis.		
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.		
Inhalation	May cause irritation of respiratory tract.		

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
DIMETHYLBENZYL	= 382 mg/kg (Rat)	= 0.126 mL/kg (Rabbit)	= 220 ppm (Rat) 4 h
HYDROPEROXIDE			
80-15-9			

CUMENE	= 1400 mg/kg (Rat)	= 12300 µL/kg (Rabbit)	> 3577 ppm (Rat) 6 h = 39000
98-82-8	· ·		mg/m <sup>3</sup> (Rat)4 h

### Information on toxicological effects

Symptoms

No information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No informatio			
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table below indicates whether each agency has listed any ingredient as a carcinogen.			ient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
CUMENE	-	Group 2B	Reasonably Anticipated	Х
98-82-8				
, j i	cinogenic to Humans	0	of Labor)	
The following values are ATEmix (oral)	calculated based on cha 17291 mg/kg		ument .	

ATEmix (oral)	17291 mg/kg
ATEmix (dermal)	17754 mg/kg
ATEmix (inhalation-dust/mist)	27.8 mg/l

### **12. ECOLOGICAL INFORMATION**

### Ecotoxicity

0 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

### Persistence and degradability

No information available.

### **Bioaccumulation**

No information available.

### **Mobility**

No information available.

Chemical Name	Partition coefficient
CUMENE	3.7
98-82-8	

### Other adverse effects

No information available

### **13. DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	U055 U096

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status
DIMETHYLBENZYL HYDROPEROXIDE	Toxic
80-15-9	Ignitable
CUMENE	Toxic
98-82-8	Ignitable

### **14. TRANSPORT INFORMATION**

DOT Proper shipping name:	Not regulated
IATA Proper shipping name:	Not regulated
IMDG Proper shipping name:	Not regulated

### **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Not determined
ENCS	Not determined
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Not Listed

### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### US Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical Name	SARA 313 - Threshold Values %
SACCHARIN - 81-07-2	1.0
DIMETHYLBENZYL HYDROPEROXIDE - 80-15-9	1.0
CUMENE - 98-82-8	0.1
SARA 311/312 Hazard Categories	
A outo boolth bozord	Voc

Acute nealth nazard	res
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
DIMETHYLBENZYL	10 lb	-	RQ 10 lb final RQ
HYDROPEROXIDE			RQ 4.54 kg final RQ
80-15-9			
CUMENE	5000 lb	-	RQ 5000 lb final RQ
98-82-8			RQ 2270 kg final RQ

### US State Regulations

### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
CUMENE	Carcinogen
98-82-8	ő
U.S. State Right-to-Know Regulations	

### Massachusetts Pennsylvania Chemical Name **New Jersey** POLYTETRAFLUOROETHYLENE Х 9002-84-0 SACCHARIN Х Х Х 81-07-2 DIMETHYLBENZYL Х Х Х **HYDROPEROXIDE** 80-15-9 CUMENE Х Х Х 98-82-8

### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

### WHMIS Hazard Class

D2A - Very toxic materials

### 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA	
HMIS	

Health hazards 2 Health hazards 2 Flammability 1 Flammability 1 Instability 0 Physical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

**Revision Date** 

07-May-2020

### **Disclaimer**

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web site.

**End of Safety Data Sheet**