

SAFETY DATA SHEET Permabond MT3809A

1. Identification

Product identifier

Product name Permabond MT3809A

Recommended use of the chemical and restrictions on use

Application Adhesive.

Details of the supplier of the safety data sheet

Supplier Permabond LLC

14 Robinson Street Pottstown, PA 19464

USA

Telephone: 732-868-1372 or 800-640-7599

Website: www.permabond.com

Emergency telephone number

Emergency telephone Medical: Poison Control Center 866-827-6282 (toll free) or 303-389-1109 Transport:

CHEMTREC 800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200)

and is consistent with the provisions of the United Nations Globally Harmonized System of

Chemical™

Our expertise is your solution.

chemical-concepts.com

800.220.1966

410 Pike Road • Huntingdon Valley, PA 19006

Classification and Labeling of Chemicals (GHS).

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317

Label elements

Hazard symbols





Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction. Revision date: 12/29/2021 Revision: 3 Supersedes date: 1/31/2018

Permabond MT3809A

Precautionary statements P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/ doctor.

P332+P313 If skin irritation occurs: Get medical advice/ attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

Dispose of contents and/or container according to Federal, State/Provincial and local

governmental regulations.

Contains EPOXY RESIN (Number average MW <= 700), [3-(2,3-

EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE

3. Composition/information on ingredients

Mixtures

EPOXY RESIN (Number average MW <= 700)

10-30%

CAS number: 1675-54-3

Classification

Skin Irrit. 2 - H315 Eye Irrit. 2A - H319 Skin Sens. 1 - H317 Not relevant.

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE

5-10%

CAS number: 2530-83-8

Classification

Eye Dam. 1 - H318

The full text for all hazard statements is displayed in Section 16.

Composition comments Exact percentage is a trade secret. Concentration range is provided to assist users in

providing appropriate protections.

4. First-aid measures

Description of first aid measures

Inhalation Move the exposed person to fresh air. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get

medical attention if any discomfort continues.

Skin Contact Remove contaminated clothing. Wash skin thoroughly with soap and water. If symptoms

develop, obtain medical attention

Eye contact Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Remove any

contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.

Most important symptoms and effects, both acute and delayed

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Permabond MT3809A

Eye contact Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctorNo specific recommendations. Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Special hazards arising from the substance or mixture

Hazardous combustion

products

Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide,

and unknown hydrocarbons.

Advice for firefighters

Protective actions during

firefighting

Use water to keep fire exposed containers cool and disperse vapors.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for

disposal.

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Avoid contact with skin, eyes and clothing. Do not breathe vapour/spray. Wash hands

thoroughly after handling. Keep container tightly sealed when not in use.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Specific end uses(s)

Specific end use(s) Adhesive.

8. Exposure controls/Personal protection

Ingredient comments WEL = Workplace Exposure Limits

Exposure controls

Appropriate engineering

controls

Provide adequate general and local exhaust ventilation. Observe any occupational exposure

limits for the product or ingredients.

Revision date: 12/29/2021 Revision: 3 Supersedes date: 1/31/2018

Permabond MT3809A

Eye/face protection Wear tight-fitting, chemical splash goggles or face shield.

Hand protection Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should

not be worn.

Other skin and body

protection

Employee must wear appropriate protective clothing and equipment to prevent any possibility

of skin contact with this substance.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly

remove any clothing that becomes contaminated.

Respiratory protection Respiratory protection may be required if excessive airborne contamination occurs. Ensure all

respiratory protective equipment is suitable for its intended use and is NIOSH approved.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Viscous liquid.

Color Grey.
Odor Mild.

Odor threshold No information available.

pH Not relevant.Melting point Not available.Initial boiling point and range Not relevant.

Flash point >100°C

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

explosive limits

Not available.

Vapor pressure Not available.

Vapor density Not available.

Relative density 1.3

Solubility(ies) Insoluble in water. Soluble in the following materials: Organic solvents.

Partition coefficient Not available.

Auto-ignition temperature Not applicable.

Decomposition Temperature Not available.

Viscosity ≈10000 mPa s @ 23°C

Explosive properties Not relevant.

Oxidizing properties Not applicable.

Other information Not relevant.

Volatile organic compound <2 %, 20 grams/liter (Estimated)

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents. Acids.

Revision date: 12/29/2021 Revision: 3 Supersedes date: 1/31/2018

Permabond MT3809A

Stability Stable at normal ambient temperatures. Polymerizes when heated.

Possibility of hazardous

reactions

Reactions with the following materials may generate heat: Amines.

Conditions to avoid Do not store near heat sources or expose to high temperatures.

Materials to avoid Amines. Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds.

11. Toxicological information

Information on toxicological effects

Toxicological effectsThe toxicological properties of this product have not been fully evaluated. Use of good

industrial hygiene practices is required. Avoid direct contact with skin or eyes. Do not ingest or

inhale.

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Risk of serious damage to eyes.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization May cause sensitisation by skin contact.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity No component of this product present at levels great than or equal to 0.1% is identified as a

known carcinogen.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

Inhalation May cause respiratory irritation.

Revision date: 12/29/2021 Revision: 3 Supersedes date: 1/31/2018

Permabond MT3809A

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Skin Contact Irritating.

Eye contact Causes serious eye damage.

Acute and chronic health

hazards

Irritating to skin. Causes serious eye damage. May cause skin sensitization or allergic

reactions in sensitive individuals.

Route of exposure Skin and/or eye contact

Target Organs Eyes Skin

Toxicological information on ingredients.

EPOXY RESIN (Number average MW <= 700)

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

11.400.0

Rat **Species**

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

Rabbit **Species**

Acute toxicity - inhalation

Notes (inhalation LC50) No specific test data are available.

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Animal data Edema score: Very slight oedema - barely perceptible (1).

Serious eye damage/irritation

Serious eye

Not irritating.

damage/irritation

Respiratory sensitization

Respiratory sensitization No specific test data are available.

Skin sensitization

Skin sensitization Local Lymph Node Assay (LLNA) - Mouse: Sensitizing.

Germ cell mutagenicity

Conclusive data but not sufficient for classification. Genotoxicity - in vitro

Carcinogenicity

Conclusive data but not sufficient for classification. Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity -

Fertility - NOAEL 750 mg/kg/day, Oral, Rat

fertility

Revision date: 12/29/2021 Revision: 3 Supersedes date: 1/31/2018

Permabond MT3809A

Reproductive toxicity -

development

Developmental toxicity: - NOAEL: 180 mg/kg/day, Oral, Rat

Specific target organ toxicity - single exposure

STOT - single exposure No specific test data are available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Conclusive data but not sufficient for classification.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

[3-(2,3-EPOXYPROPOXY)PROPYL]TRIMETHOXYSILANE

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

7,010.0

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 6,800.0

mg/kg)

Species Rabbit

Acute toxicity - inhalation

Acute toxicity inhalation

(LC50 dust/mist mg/l)

5.3

Species Rat

Skin corrosion/irritation

Animal data Method: OECD 404, Rabbit Not irritating.

Serious eye damage/irritation

Serious eye

Method: OECD 405, Rabbit Irritating to eyes.

damage/irritation

Skin sensitization

Skin sensitization Buehler test - Guinea pig: Not sensitizing.

Germ cell mutagenicity

Genotoxicity - in vitro Read-across data. Chromosome aberration: Negative.

Genotoxicity - in vivo Chromosome aberration: Positive.

Carcinogenicity

Carcinogenicity NOAEL >=5 mg/kg/day, Dermal, Mouse

Reproductive toxicity

Reproductive toxicity -

fertility

- NOAEL 500 mg/kg/day, Oral, Rat P

Reproductive toxicity -

development

Maternal toxicity: - NOAEL: 200 mg/kg/day, Oral, Rabbit

Specific target organ toxicity - single exposure

Permabond MT3809A

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure No information available.

Aspiration hazard

Aspiration hazard Not available.

12. Ecological information

Toxicity No data available.

Bioaccumulative potential

Partition coefficient Not available.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information Empty containers may contain product residue; follow SDS and label warnings even after they

have been emptied.

Disposal methods Dispose of according to Federal, State/Provincial and local regulations. Refer to section 8

before handling.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Transport hazard class(es)

Transport Labels

(International)

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

Permabond MT3809A

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None above reporting levels

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None above reporting limits

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None above reporting limits

SARA 313 Emission Reporting

None above reporting limits

SARA (311/312) Hazard Categories

Acute Chronic

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US-TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None above reporting limits

16. Other information

Classification abbreviations

Eye Dam. = Serious eye damage

and acronyms

Skin Irrit. = Skin irritation

Skin Sens. = Skin sensitisation

Revision date 12/29/2021

Revision 3

Supersedes date 1/31/2018

Hazard statements in full H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.