

SAFETY DATA SHEET Permabond TA452B

1. Identification

Product identifier

Product name Permabond TA452B

Recommended use of the chemical and restrictions on use

Application Adhesive. Sealant.

Details of the supplier of the safety data sheet

Supplier Permabond LLC

14 Robinson Street Pottstown, PA 19464

USA

Telephone: 732-868-1372 or 800-640-7599

Website: www.permabond.com

Emergency telephone number

Emergency telephone Medical: Poison Control Center 866-827-6282 (toll free) or 303-389-1109 Transport:

CHEMTREC 800-424-9300

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200)

and is consistent with the provisions of the United Nations Globally Harmonized System of

hemical™

Our expertise is your solution.

chemical-concepts.com

800.220.1966

410 Pike Road • Huntingdon Valley, PA 19006

Classification and Labeling of Chemicals (GHS).

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Skin Sens. 1 - H317

Label elements

Hazard symbols



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Permabond TA452B

Precautionary statements P261 Avoid breathing vapor/ spray.

P264 Wash contaminated skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 If on skin: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment (see medical advice on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/ container in accordance with national regulations.

Contains HYDROXYPROPYL METHACRYLATE, 2-PROPENOIC ACID, 2-METHYL-, 2-

HYDROXYETHYL ESTER, REACTION PRODUCTS WITH PHOSPHORUS OXIDE (P2O5)

(HEMAPHOSPHATE)

Other hazards

None under normal conditions.

3. Composition/information on ingredients

Mixtures

HYDROXYPROPYL METHACRYLATE

60-100%

10-30%

CAS number: 27813-02-1

Classification

Eye Irrit. 2A - H319 Skin Sens. 1 - H317

POLY(OXY-1,2-ETHANEDIYL), A,A'-[(1-

METHYLETHYLIDENE)DI-4,1-PHENYLENE]BIS[Ω-[(2-

METHYL-1-OXO-2-PROPEN-1-YL)OXY]-

CAS number: 41637-38-1

Classification

Not relevant.

2-PROPENOIC ACID, 2-METHYL-, 2-HYDROXYETHYL ESTER, REACTION PRODUCTS WITH PHOSPHORUS OXIDE (P2O5) (HEMAPHOSPHATE)

1-5%

CAS number: 1187441-10-6

Classification

Eye Dam. 1 - H318 Skin Sens. 1B - H317

The full text for all hazard statements is displayed in Section 16.

providing appropriate protections.

4. First-aid measures

Permabond TA452B

Description of first aid measures

Inhalation Move the exposed person to fresh air. When breathing is difficult, properly trained personnel

may assist affected person by administering oxygen. If breathing stops, provide artificial

respiration. Get medical attention.

Ingestion Do not induce vomiting unless under the direction of medical personnel. Never give anything

by mouth to an unconscious person. Get medical attention.

Skin Contact Wash skin thoroughly with soap and water. Take off contaminated clothing and wash it before

reuse. If symptoms develop, obtain medical attention

Eve contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if any

discomfort continues.

Most important symptoms and effects, both acute and delayed

Inhalation May cause respiratory irritation.

Ingestion May cause irritation.

Skin contact Causes skin irritation. May cause an allergic skin reaction.

Eye contact Causes serious eye irritation.

Indication of immediate medical attention and special treatment needed

Notes for the doctorNo specific recommendations. Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media Water spray, foam, dry powder or carbon dioxide.

Special hazards arising from the substance or mixture

Hazardous combustion Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide,

products and unknown hydrocarbons.

Advice for firefighters

Special protective equipment Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters clothing.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautionsWear protective clothing as described in Section 8 of this safety data sheet.

Environmental precautions

Environmental precautions Avoid discharge into drains.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste

disposal containers and seal securely.

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

7. Handling and storage

Precautions for safe handling

Permabond TA452B

Usage precautions Avoid contact with skin, eyes and clothing. Use only in well-ventilated areas. Keep container

tightly sealed when not in use. Wash hands thoroughly after handling.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 44°F and 77°F. Never return

unused material to storage receptacle.

Specific end uses(s)

Usage description Adhesive. Sealant.

8. Exposure controls/Personal protection

Exposure controls

Appropriate engineering

controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Observe any occupational exposure

limits for the product or ingredients.

Eye/face protection Use safety goggles and face shield in case of splash risk.

Hand protection Nitrile rubber or Viton™ gloves are recommended. Cotton or other absorbent gloves should

not be worn.

Other skin and body

protection

Employee must wear appropriate protective clothing and equipment to prevent any possibility

of skin contact with this substance.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet.

Respiratory protectionNo specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs. Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

9. Physical and chemical properties

Information on basic physical and chemical properties

Odor Acrylic

Odor threshold Not available.

pH Not relevant.

Melting point Not available.

Flash point >93°C (199.94°F)

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or

Initial boiling point and range

explosive limits

Not available.

Not applicable.

Vapor pressure Not available.

Vapor density Not available.

Solubility(ies) Slightly soluble in water. Miscible with the following materials: acetone

Partition coefficient Not available.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Permabond TA452B

Oxidizing properties Not available.

Other information Not relevant.

Volatile organic compound <2 %, 20 grams/liter (Estimated)

10. Stability and reactivity

Reactivity The following materials may react with the product: Strong oxidizing agents.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

There are no known reactivity hazards associated with this product. Polymerization may occur

at elevated temperature or in the presence of incompatible materials

Conditions to avoid Avoid the absence of air, and metal contamination.

Materials to avoid Metals and their salts. Free radical initiators. Strong alkalis. Strong reducing agents.

Hazardous decomposition

products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds.

11. Toxicological information

Information on toxicological effects

Toxicological effectsThe toxicological properties of this product have not been fully evaluated. Use of good

industrial hygiene practices is required. Avoid direct contact with skin or eyes. Do not ingest or

inhale.

Skin corrosion/irritation

Skin corrosion/irritationBased on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization May cause sensitisation by skin contact.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Genotoxicity - in vivoBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity No component of this product present at levels great than or equal to 0.1% is identified as a

known carcinogen.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Permabond TA452B

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

.

Inhalation May cause respiratory system irritation.

Ingestion No harmful effects expected from quantities likely to be ingested by accident.

Eye contact Irritating to eyes.

Acute and chronic health

hazards

This product may cause skin and eye irritation.

Route of exposure Skin and/or eye contact

Toxicological information on ingredients.

HYDROXYPROPYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅o

2,000.1

mg/kg)

Species Rat

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 5,000.0

mg/kg)

0,000.0

Species Rabbit

Acute toxicity - inhalation

Notes (inhalation LC₅₀) No information available.

Skin corrosion/irritation

Animal data Not irritating.

Serious eye damage/irritation

Serious eye

Moderately irritating.

damage/irritation

Respiratory sensitization

Respiratory sensitization There is no evidence that the material can lead to respiratory hypersensitivity.

Skin sensitization

Skin sensitization Epidemiological studies have shown evidence of skin sensitization.

Germ cell mutagenicity

Genotoxicity - in vitroGene mutation: Negative.

Genotoxicity - in vivo Chromosome aberration: Negative.

Carcinogenicity

Carcinogenicity No evidence of carcinogenicity in animal studies.

Reproductive toxicity

Reproductive toxicity -

Screening - NOAEL 300 mg/kg/day, Oral, Rat P

fertility

Permabond TA452B

Reproductive toxicity -

development

Developmental toxicity: - NOAEL: 1000 mg/kg/day, Oral, Rat

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard No information available.

12. Ecological information

Toxicity No data available.

Bioaccumulative potential

Partition coefficient Not available.

13. Disposal considerations

Waste treatment methods

General information Empty containers may contain product residue; follow SDS and label warnings even after they

have been emptied.

Disposal methodsDispose of according to Federal, State and local governmental regulations.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

UN Number

UN No. (International) Not applicable.
UN No. (DOT) Not applicable.

UN proper shipping name

Proper shipping name

(International)

Not applicable.

Proper shipping name (DOT) Not applicable.

Transport hazard class(es)

Transport Labels

No transport warning sign required.

(International)

DOT transport labels

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

DOT packing group Not applicable.

Environmental hazards

Environmentally Hazardous Substance

No.

Permabond TA452B

Special precautions for user

Not applicable.

DOT reportable quantity Not applicable.

DOT TIH Zone Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

None above reporting levels

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

None above reporting limits

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

None above reporting limits

SARA 313 Emission Reporting

None above reporting limits

SARA (311/312) Hazard Categories

Acute Chronic

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

All the ingredients are listed or exempt.

US - TSCA 12(b) Export Notification

None above reporting limits

16. Other information

Classification abbreviations
and acronyms

Eye Irrit. = Eye irritation
Skin Irrit. = Skin irritation

Skin Sens. = Skin sensitisation

STOT SE = Specific target organ toxicity-single exposure

Revision date 1/21/2022

Revision 1

Permabond TA452B

Hazard statements in full H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.