

# SAFETY DATA SHEET Permabond UV7141

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

**Product name** Permabond UV7141

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Adhesive.

### 1.3. Details of the supplier of the safety data sheet

Supplier Permabond Engineering Adhesives Ltd.

> Wessex Way Colden Common Winchester

Hampshire. SO21 1WP

United Kingdom

Tel: +44 (0)1962 711 661 Fax: +44 (0)1962 711 662 info.europe@permabond.com



### 1.4. Emergency telephone number

**Emergency telephone** UK +44 (0)1962 711 661 USA 0800 640 7599 Asia +86 (0)21 5773 4913

## **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Skin Sens. 1 - H317 STOT SE 3 - H335

**Environmental hazards** Not Classified

Classification (67/548/EEC or Xi;R36/37/38. R43.

1999/45/EC)

## 2.2. Label elements

#### **Pictogram**





Signal word Danger

Hazard statements H315 Causes skin irritation.

> H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

## Permabond UV7141

**Precautionary statements** P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352a IF ON SKIN: Wash with plenty of soap and water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

Contains HYDROXYPROPYL METHACRYLATE, 2-HYDROXYETHYL METHACRYLATE, ACRYLIC

ACID, CUMENE HYDROPEROXIDE

Supplementary precautionary

statements

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with existing Community, National and

local regulations.

### 2.3. Other hazards

None under normal conditions.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

HYDROXYPROPYL METHACRYLATE 10-30%

CAS number: 27813-02-1 EC number: 248-666-3 REACH registration number: 01-

2119490226-37-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 Xi;R36. R43.

Skin Sens. 1 - H317

2-HYDROXYETHYL METHACRYLATE 5-10%

CAS number: 868-77-9 EC number: 212-782-2 REACH registration number: 01-

2119490169-29-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Eye Irrit. 2 - H319 R43 Xi;R36/38

Skin Sens. 1 - H317

### Permabond UV7141

ACRYLIC ACID 1-5%

CAS number: 79-10-7 EC number: 201-177-9

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 3 - H226 R10 C;R35 Xn;R20/21/22 N;R50

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Corr. 1A - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 Aquatic Acute 1 - H400

CUMENE HYDROPEROXIDE 1-< 2.5%

CAS number: 80-15-9 EC number: 201-254-7 REACH registration number: 01-

2119475796-19-XXXX

Classification Classification (67/548/EEC or 1999/45/EC)

Org. Perox. E - H242 O;R7 T;R23 C;R34 Xn;R21/22,R48/20/22 N;R51/53

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 3 - H331 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335 STOT RE 2 - H373 Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

### SECTION 4: First aid measures

## 4.1. Description of first aid measures

**Inhalation** Move the exposed person to fresh air. Get medical attention if any discomfort continues.

**Ingestion** Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get

medical attention.

Skin contact Wash skin thoroughly with soap and water. If symptoms develop, obtain medical attention

Eye contact Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes

with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get

medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

**Inhalation** May cause irritation.

**Skin contact** Skin irritation. Mild dermatitis, allergic skin rash.

**Eye contact** Causes serious eye damage.

# 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations. Treat symptomatically.

### Permabond UV7141

### SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media Foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Water.

## 5.2. Special hazards arising from the substance or mixture

Hazardous combustion

Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons.

products

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions**Wear protective clothing as described in Section 8 of this safety data sheet.

#### 6.2. Environmental precautions

**Environmental precautions** Not considered to be a significant hazard due to the small quantities used. Avoid discharge

into drains.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for

disposal.

## 6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. For waste disposal, see section 13.

### SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Use in a well ventilated area. Avoid contact with skin and eyes. Avoid eating, drinking and

smoking when using the product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in closed original container at temperatures between 5°C and 25°C. Protect against

direct sunlight. Never return unused material to storage receptacle.

7.3. Specific end use(s)

Specific end use(s)

This product is not recommended for use in joints which will be in contact with either pure

oxygen or steam.

**Usage description** Adhesive.

## SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

### 8.2. Exposure controls

## Protective equipment







## Permabond UV7141

Appropriate engineering

controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or

ingredients.

**Eye/face protection** The following protection should be worn: Chemical splash goggles or face shield. Personal

eye protection should conform to EN 166

Hand protection Nitrile rubber or Viton™ gloves are recommended. Gloves should conform to EN 374. The

most suitable glove should be chosen in consultation with the glove supplier/manufacturer,

who can provide information about the breakthrough time of the glove material.

Other skin and body

protection

Employee must wear appropriate protective clothing and equipment to prevent any possibility

of skin contact with this substance.

**Hygiene measures**Wash hands at the end of each work shift and before eating, smoking and using the toilet.

When using do not eat, drink or smoke. Use of good industrial hygiene practices is required.

Respiratory protection 
No specific recommendations. Respiratory protection may be required if excessive airborne

contamination occurs.

# **SECTION 9: Physical and Chemical Properties**

### 9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Colourless.

Odour Acrylic

Odour threshold Not available.

**pH** Not relevant.

Melting point Not available.

**Initial boiling point and range** Not applicable.

Flash point >100°C

**Evaporation rate** Not available.

Upper/lower flammability or

explosive limits

Not available.

Vapour pressure Not available.

Vapour density Not available.

Relative density 1.1

**Solubility(ies)** Slightly soluble in water. Miscible with the following materials: Organic solvents.

Auto-ignition temperature Not available.

Decomposition Temperature Not available.

Viscosity ≈1500 mPa s @ 23°C

Oxidising properties Not available.

9.2. Other information

Other information Not relevant.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

# Permabond UV7141

**Reactivity** The following materials may react with the product: Strong oxidising agents. Light.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

There are no known reactivity hazards associated with this product.

10.4. Conditions to avoid

Conditions to avoid Avoid the absence of air, and metal contamination. Protect against direct sunlight.

10.5. Incompatible materials

Materials to avoid Metals and their salts. Free radical initiators.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified

organic compounds.

## SECTION 11: Toxicological information

## 11.1. Information on toxicological effects

Toxicological effects The toxicological properties of this product have not been fully evaluated. Avoid direct contact

with skin or eyes. Do not ingest or inhale.

Skin corrosion/irritation

Animal data Irritating to skin.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Skin sensitisation

**Skin sensitisation** May cause sensitisation by skin contact.

Aspiration hazard

**Aspiration hazard** None under normal conditions.

In high concentrations, vapours may irritate throat and respiratory system and cause

coughing.

#### Toxicological information on ingredients.

### HYDROXYPROPYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> 2,000.1

mg/kg)

Species Rat

**ATE oral (mg/kg)** 2,000.1

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 5,000.0

mg/kg)

## Permabond UV7141

Rabbit **Species** 

Skin corrosion/irritation

Animal data Slightly irritating.

Serious eye damage/irritation

Serious eye Moderately irritating.

damage/irritation

Respiratory sensitisation

Respiratory sensitisation There is no evidence that the material can lead to respiratory hypersensitivity.

Skin sensitisation

Skin sensitisation Epidemiological studies have shown evidence of skin sensitisation.

Germ cell mutagenicity

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

2-HYDROXYETHYL METHACRYLATE

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,000.0

**Species** Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 3,000.0

mg/kg)

**Species** Rabbit

ATE dermal (mg/kg) 3,000.0

**ACRYLIC ACID** 

Acute toxicity - oral

Acute toxicity oral (LD₅o

1,405.0

mg/kg)

**Species** Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 2,000.0

mg/kg)

**Species** Rabbit

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

Acute toxicity inhalation 3.6

(LC<sub>50</sub> dust/mist mg/l)

## Permabond UV7141

**Species** Rat

ATE inhalation 3.6

(dusts/mists mg/l)

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity -

fertility

- NOAEL 460 mg/l, Oral, Rat P, F1

Reproductive toxicity -

development

Fetotoxicity: - NOAEC: >= 0.673 mg/l, Inhalation, Rabbit

# **CUMENE HYDROPEROXIDE**

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

382.0

**Species** Rat

ATE oral (mg/kg) 500.0

Acute toxicity - dermal

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

ATE inhalation (vapours

mg/l)

3.0

Skin corrosion/irritation

Animal data Highly irritating.

Serious eye damage/irritation

Serious eye

damage/irritation

Irritating to eyes.

Skin sensitisation

Skin sensitisation Not sensitising.

## SECTION 12: Ecological Information

**Ecotoxicity** The product is not expected to be hazardous to the environment.

12.1. Toxicity

**Toxicity** No data available.

Ecological information on ingredients.

# HYDROXYPROPYL METHACRYLATE

Acute toxicity - fish LC<sub>50</sub>, 48 hours: 493 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 380 mg/l, Daphnia magna

## Permabond UV7141

Acute toxicity - aquatic

plants

EC₅o, 72 hours: > 97.2 mg/l, Pseudokirchneriella subcapitata NOEC, 72 hours: 97.2 mg/l, Pseudokirchneriella subcapitata

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 24.1 mg/l, Daphnia magna

### 2-HYDROXYETHYL METHACRYLATE

Acute toxicity - fish LC<sub>50</sub>, 96 hours: > 100 mg/l, Oryzias latipes (Red killifish)

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 380 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅o, 72 hours: 836 mg/l, Selenastrum capricornutum NOEC, 72 hours: 400 mg/l, Selenastrum capricornutum

Acute toxicity - microorganisms

 $EC_{50}$ , 16 hours: > 3000 mg/l, Pseudomonas fluorescens

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 24.1 mg/l, Daphnia magna

### **ACRYLIC ACID**

Acute aquatic toxicity

**LE(C)**<sub>50</sub>  $0.1 < L(E)C50 \le 1$ 

M factor (Acute) 1

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 222 mg/l, Brachydanio rerio (Zebra Fish)

Acute toxicity - aquatic

invertebrates

 $LC_{50}$ , 24 hours: 270 mg/l, Daphnia magna  $EC_{50}$ , 48 hours: 95 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC<sub>50</sub>, 72 hours: 0.04 mg/l, Desmodesmus subspicatus EC<sub>50</sub>, 96 hours: 0.17 mg/l, Pseudokirchneriella subcapitata

Acute toxicity -

microorganisms

 $EC_{20}$ , 30 minutes: 900 mg/l, Activated sludge

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 19 mg/l, Daphnia magna

# **CUMENE HYDROPEROXIDE**

Acute toxicity - fish LC₅o, 96 hour: 3.9 mg/l, Onchorhynchus mykiss (Rainbow trout)

## 12.2. Persistence and degradability

**Persistence and degradability** No data available.

Ecological information on ingredients.

### HYDROXYPROPYL METHACRYLATE

Biodegradation Water - Degradation 94.2%: 28 days

### 2-HYDROXYETHYL METHACRYLATE

## Permabond UV7141

**Biodegradation** Water - Degradation 84%: 28 days

**ACRYLIC ACID** 

Biodegradation Water - Degradation 81%: 28 days

**CUMENE HYDROPEROXIDE** 

**Biodegradation** The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

2-HYDROXYETHYL METHACRYLATE

Bioaccumulative potential BCF: 1.34 - 1.54,

**ACRYLIC ACID** 

Partition coefficient log Kow: 0.46

12.4. Mobility in soil

Mobility No data available.

Ecological information on ingredients.

2-HYDROXYETHYL METHACRYLATE

Adsorption/desorption

coefficient

Water - Koc: 42.7 @ 20°C

ACRYLIC ACID

Surface tension 69.6 mN/m @ 20°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

**SECTION 13: Disposal considerations** 

13.1. Waste treatment methods

General information Waste disposal should be in accordance with existing Community, National and local

regulations Empty containers may contain product residue; follow SDS and label warnings

even after they have been emptied.

**Disposal methods**Do not empty into drains, dispose of this material and its container at hazardous or special

waste collection point.

Waste class 08 04 09\* waste adhesives and sealants containing organic solvents or other dangerous

substances.

SECTION 14: Transport information

## Permabond UV7141

**General** The product is not classified as dangerous for carriage.

14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

Not applicable.

### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No

### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

**EU legislation** Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16

December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH)

**Guidance** Workplace Exposure Limits EH40.

CHIP for everyone HSG228.

Approved Classification and Labelling Guide (Sixth edition) L131.

Safety Data Sheets for Substances and Preparations.

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

# SECTION 16: Other information

Revision date 09/09/2015

Revision 4

Supersedes date 26/05/2015

### Permabond UV7141

### Risk phrases in full

R10 Flammable.

R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.

R21/22 Harmful in contact with skin and if swallowed.

R23 Toxic by inhalation.

R34 Causes burns.

R35 Causes severe burns.

R36 Irritating to eyes.

R36/37/38 Irritating to eyes, respiratory system and skin.

R36/38 Irritating to eyes and skin. R37 Irritating to respiratory system.

R43 May cause sensitisation by skin contact.

R48/20/22 Harmful: danger of serious damage to health by prolonged exposure through

inhalation and if swallowed.

R50 Very toxic to aquatic organisms.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

R7 May cause fire.

### Hazard statements in full

H226 Flammable liquid and vapour.

H242 Heating may cause a fire.

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H331 Toxic if inhaled.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.