

800.220.1966

410 Pike Road • Huntingdon Valley, PA 19006

Chem-Set[™] 6105 Safety Data Sheet Toughened Acrylic Adhesive

410 Pike Road Huntingdon Valley, PA 19006 Toll Free: 800.220.1966 Phone: 267.684.1038 Fax: 215:357.2754 sales@chemical-concepts.com www.chemical-concepts.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name:

Chem-Set[™] 6105

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Adhesive.

1.3. Details of the supplier of the safety data sheet

Manufacturer Name:	Chemical Co	oncepts, lnc.
--------------------	-------------	---------------

410 Pike Road Huntingdon Valley, PA 19006

Phone Number: 800.220.1966

1.4. Emergency telephone number

For Chemical Emergencies

INFOTRAC **800.535.5053**

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
Classification (EC/1272/2008)		
Physical hazards	Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		
Signal word	Warning	
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation.	

H335 May cause respiratory irritation.

Precautionary statements	 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352a IF ON SKIN: Wash with plenty of soap and water P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/ attention.
Contains	BENZYL METHACRYLATE, [2-[(2-METHYL-1-OXOALLYL)OXY]ETHYL] HYDROGEN SUCCINATE , 2-HYDROXYETHYL METHACRYLATE
Supplementary precautionary statements	 P271 Use only outdoors or in a well-ventilated area. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with existing Community, National and local regulations.

2.3. Other hazards

None under normal conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

BENZYL METHACRYLATE		60-100%
CAS number: 2495-37-6	EC number: 219-674-4	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R36/37/38. R43.	
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
[2-[(2-METHYL-1-OXOALLYL)OXY]ETH SUCCINATE	IYL] HYDROGEN	5-10%
CAS number: 20882-04-6	EC number: 244-096-4	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
2-HYDROXYETHYL METHACRYLATE		1-5%
CAS number: 868-77-9	EC number: 212-782-2	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Eye Irrit. 2 - H319	R43 Xi;R36/38	
Skin Sens. 1 - H317		

SECTION 4: First aid measures

4.1. Description of first aid me	asures
Inhalation	Move the exposed person to fresh air. Get medical attention if any discomfort continues.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. If symptoms develop, obtain medical attention
Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	May cause respiratory irritation.
Skin contact	Skin irritation. Mild dermatitis, allergic skin rash.
Eye contact	Irritating and may cause redness and pain.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. Treat symptomatically.
SECTION 5: Firefighting meas	sures
5.1. Extinguishing media	
Suitable extinguishing media	Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2 Special bezards arising fr	
5.2. Special hazarus ansing in	om the substance or mixture
Hazardous combustion products	om the substance or mixture Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen.
Hazardous combustion	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide,
Hazardous combustion products	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide,
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Be measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Be measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. S Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. S Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. <u>s</u> Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains. <u>containment and cleaning up</u> Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. <u>s</u> Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains. <u>containment and cleaning up</u> Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal.
Hazardous combustion products 5.3. Advice for firefighters Special protective equipment for firefighters SECTION 6: Accidental releas 6.1. Personal precautions, pro Personal precautions 6.2. Environmental precaution Environmental precautions 6.3. Methods and material for Methods for cleaning up 6.4. Reference to other section	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Be measures tective equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. S Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains. containment and cleaning up Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal. 15 For personal protection, see Section 8. For waste disposal, see section 13.

Usage precautions	Use in a well ventilated area. Avoid contact with skin and eyes. Avoid eating, drinking and smoking when using the product.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage precautions	Keep only in the original container in a cool, well-ventilated place. Keep container dry. Store in closed original container at temperatures between 2°C and 7°C. Never return unused material to storage receptacle.	
7.3. Specific end use(s)		
Usage description	Adhesive.	
SECTION 8: Exposure Control	s/personal protection	
8.1. Control parameters		
8.2. Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield. Personal eye protection should conform to EN 166	
Hand protection	Nitrile rubber or Viton [™] gloves are recommended. Cotton or other absorbent gloves should not be worn. Gloves should conform to EN 374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.	
Other skin and body protection	Employee must wear appropriate protective clothing and equipment to prevent any possibility of skin contact with this substance.	
Hygiene measures	Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Use of good industrial hygiene practices is required.	
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.	
SECTION 9: Physical and Chemical Properties		
9.1. Information on basic physical and chemical properties		
Appearance	Paste.	
Colour	White/off-white.	
Odour	Acrylic	
Odour threshold	Not available.	
рН	Not relevant.	

Melting pointNot available.Initial boiling point and rangeNot applicable.

Flash point

Evaporation rate

>100°C

Not available.

4/9

Upper/lower flammability or explosive limits	Not available.	
Vapour pressure	Not available.	
Vapour density	Not available.	
Relative density	1.0	
Solubility(ies)	Miscible with the following materials: Organic solvents.	
Auto-ignition temperature	Not available.	
Decomposition Temperature	Not available.	
Viscosity	≈225000 mPa s @ 23°C Thixotropic	
Oxidising properties	Not available.	
9.2. Other information		
Other information	Not relevant.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	The following materials may react with the product: Strong oxidising agents.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	There are no known reactivity hazards associated with this product.	
10.4. Conditions to avoid		
Conditions to avoid	Stable at normal ambient temperatures and when used as recommended.	
10.5. Incompatible materials		
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.	
10.6. Hazardous decompositio	on products	
Hazardous decomposition products	Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Toxicological effects	The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.	
Skin corrosion/irritation Animal data	Irritating to skin.	
Serious eye damage/irritation		
Serious eye damage/irritation	Irritating to eyes.	
Skin sensitisation		
Skin sensitisation	May cause sensitisation by skin contact.	

Aspiration hazard Aspiration hazard	Not anti	icipated to present an aspiration hazard, based on chemical structure.	
Inhalation	May car	May cause respiratory system irritation.	
Ingestion	No harn	No harmful effects expected from quantities likely to be ingested by accident.	
Toxicological information on ingredients.			
		BENZYL METHACRYLATE	
Acute tox	icity - oral		
Acute tox mg/kg)	icity oral (LD₅₀	3,980.0	
Species		Rat	
ATE oral	(mg/kg)	3,980.0	

SECTION 12: Ecological Information

Acute toxicity - dermal

ATE dermal (mg/kg)

Acute toxicity - oral

ATE oral (mg/kg)

Acute toxicity - oral

ATE oral (mg/kg)

Acute toxicity - dermal

ATE dermal (mg/kg)

Acute toxicity dermal (LD₅₀ 3,000.0

Acute toxicity oral (LD50

Acute toxicity oral (LD50

mg/kg)

Species

mg/kg)

Species

mg/kg)

Species

mg/kg)

Species

Acute toxicity dermal (LD₅₀ 2,000.1

Rat

2,000.1

2,000.1

2,000.1

5,000.0

5,000.0

Rabbit

3,000.0

Rat

Rat

Ecotoxicity

The product is not expected to be hazardous to the environment.

[2-[(2-METHYL-1-OXOALLYL)OXY]ETHYL] HYDROGEN SUCCINATE

2-HYDROXYETHYL METHACRYLATE

12.1. Toxicity

Toxicity

No data available.

Ecological information on ingredients.

BENZYL METHACRYLATE

Acute toxicity - fish	LC₅₀, 48 hours: 4.67 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic plants	NOEC, 72 hours: 0.899 mg/l, Desmodesmus subspicatus EC50, 72 hours: 2.28 mg/l, Desmodesmus subspicatus
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 4.21 mg/l, Daphnia magna
	2-HYDROXYETHYL METHACRYLATE
Acute toxicity - fish	LC₅₀, 96 hours: > 100 mg/l, Oryzias latipes (Red killifish)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 380 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 836 mg/l, Selenastrum capricornutum NOEC, 72 hours: 400 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EC₅₀, 16 hours: > 3000 mg/l, Pseudomonas fluorescens
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 24.1 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

BENZYL METHACRYLATE

Biodegradation Water - Degradation 74%: 28 days

2-HYDROXYETHYL METHACRYLATE

Biodegradation

Water - Degradation 84%: 28 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

2-HYDROXYETHYL METHACRYLATE

Bioaccumulative potential BCF: 1.34 - 1.54,

12.4. Mobility in soil

Mobility

No data available.

Ecological information on ingredients.

BENZYL METHACRYLATE

Adsorption/deso coefficient	rption - log Koc: 2.57 @ 25°C	
	2-HYDROXYETHYL METHACRYLATE	
Adsorption/deso coefficient	rption Water - Koc: 42.7 @ 20°C	
12.5. Results of PBT and vPv	B assessment	
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal consid	lerations	
13.1. Waste treatment method	ds	
General information	Waste disposal should be in accordance with existing Community, National and local regulations Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.	
Disposal methods	Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.	
Waste class	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances.	
SECTION 14: Transport inform	nation	
General	The product is not classified as dangerous for carriage.	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping nam		
Not applicable.		
14.3. Transport hazard class(es)	
Not applicable.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user Not applicable.		
	ling to Annex II of MARPOL and the IBC Code	
Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).	
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).	
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	14/03/2016
Revision	2
Supersedes date	26/05/2015
Hazard statements in full	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.



chemical-concepts.com 800.220.1966

SAFETY DATA SHEET

Chem-Set™ 6105 Technical Data Sheet Toughened Acrylic Adhesive

410 Pike Road Huntingdon Valley, PA 19006 Toll Free: 800.220.1966 Phone: 267.684.1038 Fax: 215:357.2754 sales@chemical-concepts.com www.chemical-concepts.com

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name

Chem-Set[™] 6105

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

1.3. Details of the supplier of the safety data sheet

Adhesive.

Supplier

1.4. Emergency telephone number

Emergency telephone

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture	
Classification (EC/1272/200	<u>8)</u>
Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 STOT SE 3 - H335
Environmental hazards	Not Classified
2.2. Label elements	

Pictogram



Signal word	Warning
Hazard statements	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

Precautionary statements	 P280 Wear protective gloves, eye and face protection. P302+P352a IF ON SKIN: Wash with plenty of soap and water P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 IF exposed or concerned: Get medical advice/ attention.
Contains	BENZYL METHACRYLATE, 2-ETHYLHEXYL METHACRYLATE
Supplementary precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with existing Community, National and local regulations.

2.3. Other hazards

None under normal conditions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
BENZYL METHACRYLATE		30-60%
CAS number: 2495-37-6	EC number: 219-674-4	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315	Xi;R36/37/38. R43.	
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
2-ETHYLHEXYL METHACRYLATE	■	10-30%
CAS number: 688-84-6	EC number: 211-708-6	
Classification	Classification (67/548/EEC or 1999/45/EC)	
Skin Sens. 1 - H317	Xi;R36/37/38.	
Aquatic Chronic 3 - H412		
TRIETHYLBORANE-1,3-DIAMINO	PROPANE COMPLEX	1-5%
CAS number: 148861-07-8		
Classification	Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H312	Xn;R21. C;R35.	
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
	Hazard Statements are Displayed in Section 16.	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air. Get medical attention if any discomfort continues.

Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Do not induce vomiting. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water. If symptoms develop, obtain medical attention
Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	May cause respiratory irritation.
Skin contact	Skin irritation. Mild dermatitis, allergic skin rash.
Eye contact	Irritating and may cause redness and pain.
4.3. Indication of any immediat	te medical attention and special treatment needed
Notes for the doctor	No specific recommendations. Treat symptomatically.
SECTION 5: Firefighting meas	ures
5.1. Extinguishing media	
Suitable extinguishing media	Foam, carbon dioxide or dry powder.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising fro	om the substance or mixture
Hazardous combustion products	Burning produces irritating, toxic and obnoxious fumes. Carbon monoxide, carbon dioxide, and unknown hydrocarbons. Oxides of nitrogen.
5.3. Advice for firefighters	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.
SECTION 6: Accidental releas	e measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
6.2. Environmental precautions	<u>S</u>
Environmental precautions	Not considered to be a significant hazard due to the small quantities used. Avoid discharge into drains.
6.3. Methods and material for containment and cleaning up	
Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Transfer to suitable, labelled containers for disposal.
6.4. Reference to other section	ns
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.
SECTION 7: Handling and sto	rage
7.1. Precautions for safe hand	ling
Usage precautions	Use in a well ventilated area. Avoid contact with skin and eyes. Avoid eating, drinking and smoking when using the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep only in the original container in a cool, well-ventilated place. Keep container dry. Store in

	closed original container at temperatures between 2°C and 7°C. Never return unused material to storage receptacle.
7.3. Specific end use(s)	
Usage description	Adhesive.
SECTION 8: Exposure Contr	ols/personal protection
8.1. Control parameters	
8.2. Exposure controls	
Protective equipment	
Appropriate engineering controls	Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	The following protection should be worn: Chemical splash goggles or face shield. Personal eye protection should conform to EN 166
Hand protection	Nitrile rubber or Viton [™] gloves are recommended. Cotton or other absorbent gloves should not be worn. Gloves should conform to EN 374. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Employee must wear appropriate protective clothing and equipment to prevent any possibility of skin contact with this substance.
Hygiene measures	Wash hands at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Use of good industrial hygiene practices is required.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.
SECTION 9: Physical and Ch	nemical Properties

Storage precautions

9.1. Information on basic physical and chemical properties	
Appearance	Liquid.
Colour	Colourless to pale yellow.
Odour	Acrylic
Odour threshold	Not available.
рН	Not relevant.
Melting point	Not available.
Initial boiling point and range	Not applicable.
Flash point	>100°C
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.

Vapour density	Not available.
Relative density	1.0
Solubility(ies)	Miscible with the following materials: Organic solvents.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	≈25000 mPa s @ 23°C
Oxidising properties	Not available.
9.2. Other information	
Other information	Not relevant.
SECTION 10: Stability and rea	ıctivity
10.1. Reactivity	
Reactivity	The following materials may react with the product: Strong oxidising agents.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	There are no known reactivity hazards associated with this product.
10.4. Conditions to avoid	
Conditions to avoid	Stable at normal ambient temperatures and when used as recommended.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decompositio	in products
Hazardous decomposition products	Thermal decomposition could produce carbon monoxide, carbon dioxide, and unidentified organic compounds.
SECTION 11: Toxicological int	formation
11.1. Information on toxicologi	cal effects
Toxicological effects	The toxicological properties of this product have not been fully evaluated. Avoid direct contact with skin or eyes. Do not ingest or inhale.
Skin corrosion/irritation Animal data	Irritating to skin.
Serious eye damage/irritation Serious eye damage/irritation	Irritating to eyes.
Skin sensitisation Skin sensitisation	May cause sensitisation by skin contact.
Aspiration hazard Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.

Ingestion

No harmful effects expected from quantities likely to be ingested by accident.

Toxicological information on ingredients.

BENZYL METHACRYLATE

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	3,980.0
Species	Rat
ATE oral (mg/kg)	3,980.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅ mg/kg)	2,000.1
Species	Rat
ATE dermal (mg/kg)	2,000.1
	2-ETHYLHEXYL METHACRYLATE
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	2,000.1
Species	Rat
ATE oral (mg/kg)	2,000.1
Serious eye damage/irritation	on
Serious eye damage/irritation	Not irritating.
	TRIMETHYLENEDIAMINE
Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	707.0
Species	Rat
ATE oral (mg/kg)	707.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅ mg/kg)	200.0
Species	Rabbit
ATE dermal (mg/kg)	200.0
SECTION 12: Ecological Information	

-

Ecotoxicity

The product is not expected to be hazardous to the environment.

data available.

Ecological information on ingredients.

BENZYL METHACRYLATE

Acute toxicity - fish	LC₅₀, 48 hours: 4.67 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - lish	LC50, 40 Hours. 4.07 High, Fillephales prometas (Fat-head Mininow)
Acute toxicity - aquatic plants	NOEC, 72 hours: 0.899 mg/l, Desmodesmus subspicatus EC ₅₀ , 72 hours: 2.28 mg/l, Desmodesmus subspicatus
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 4.21 mg/l, Daphnia magna
	2-ETHYLHEXYL METHACRYLATE
Acute toxicity - fish	EC₅₀, 96 hours: 2.78 mg/l, Oryzias latipes (Red killifish)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 4.56 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 7.68 mg/l, Selenastrum capricornutum NOEC, 72 hours: 0.28 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	NOEC, 28 days: 100 mg/l, Activated sludge
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.11 mg/l, Daphnia magna
	TRIMETHYLENEDIAMINE
Acute toxicity - fish	LC₅₀, 96 hours: > 100 - < 150 mg/l, Leuciscus idus (Golden orfe)
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 27.2 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 175 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EC₅₀, 17 hours: 67.2 mg/l, Pseudomonas putida EC₂₀, 30 minutes: 1995 mg/l, Activated sludge

12.2. Persistence and degradability

Persistence and degradability No data available.

Ecological information on ingredients.

BENZYL METHACRYLATE

Biodegradation Water - Degradation 74%: 28 days

2-ETHYLHEXYL METHACRYLATE

Biodegradation

Water - Degradation 88%: 28 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility	No data available.	
Ecological information on ingredients.		
BENZYL METHACRYLATE		
Adsorption/desorption - log Koc: 2.57 @ 25°C coefficient		
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
Other adverse effects	None known.	
SECTION 13: Disposal considerations		
13.1. Waste treatment method	ls	
General information	Waste disposal should be in accordance with existing Community, National and local regulations Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.	
Disposal methods	Do not empty into drains, dispose of this material and its container at hazardous or special waste collection point.	
Waste class	08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances.	
SECTION 14: Transport inform	nation	
General	The product is not classified as dangerous for carriage.	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name		
Not applicable.		
14.3. Transport hazard class(es)		
Not applicable.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Not applicable.		

Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

National regulations	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).
EU legislation	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
Guidance	Workplace Exposure Limits EH40. CHIP for everyone HSG228. Approved Classification and Labelling Guide (Sixth edition) L131. Safety Data Sheets for Substances and Preparations.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision date	14/03/2016
Revision	2
Supersedes date	26/05/2015
Hazard statements in full	 H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H412 Harmful to aquatic life with long lasting effects.



This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.