

ARALDITE® AW 8680 US

Section 1. Identification

GHS product identifier Product code Other means of identification Product type		ARALDITE® AW 8680 US 00066433 Not available. Liquid.	
Material uses	÷	Isocyanate for adhesive systems	
Supplier's details	:	Huntsman Advanced Materials Americas LLC P.O. Box 4980 The Woodlands, TX 77387 Non-Emergency phone: (800) 257-5547	Chemical [™] Concepts
e-mail address of person responsible for this SDS	:	MSDS@huntsman.com	Our expertise is your solution.
Emergency telephone number (24h/7day)	:	Chemtrec: (800) 424-9300 or (703) 527-3887	800.220.1966 410 Pike Road • Huntingdon Valley, PA 19006

Section 2. Hazards identification

OSHA/HCS status	: This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture	: ACUTE TOXICITY (inhalation) - Category 4 SKIN CORROSION/IRRITATION - Category 2 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2B RESPIRATORY SENSITIZATION - Category 1 SKIN SENSITIZATION - Category 1 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract irritation) - Category 3
GHS label elements	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: Harmful if inhaled. Causes skin and eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction. May cause respiratory irritation.

Section 2. Hazards identification

 Wear protective gloves: > 8 hours (breakthrough time): butyl rubber, Ethyl Vinyl Alcohol Laminate (EVAL). Wear eye or face protection. In case of inadequate ventilation wear respiratory protection. Use only outdoors or in a well-ventilated area. Avoid breathing vapor. Wash hands thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell. If experiencing respiratory symptoms: Call a POISON CENTER or physician. IF ON SKIN: Wash with plenty of soap and water. Take off contaminated clothing. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Store locked up. Dispose of contents and container in accordance with all local, regional, national and international regulations.

Other hazards which do not : None known. result in classification

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
1,2,3-Propanetriol, polymer with 1,1'-methylenebis [4-isocyanatobenzene], methyloxirane and oxirane	60 - 100	59675-67-1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	carv first aid measures
Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If necessary, call a poison center or physician. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. In the event of any complaints or symptoms, avoid further exposure.
Skin contact	Wash with plenty of soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: Causes serious eye irritation.
Inhalation	 Harmful if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: Irritating to mouth, throat and stomach.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing wheezing and breathing difficulties asthma
Skin contact	: Adverse symptoms may include the following: irritation redness
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: No specific treatment. Treat symptomatically. Call medical doctor or poison control center immediately if large quantities have been ingested.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth to mouth resuscitation. Wash contaminated clothing

See toxicological information (Section 11)

thoroughly with water before removing it, or wear gloves.

providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing

Section 5. Fire-fighting measures

Flash point	: Closed cup: >93°C (>199.4°F) [Estimated]
Extinguishing media Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
Specific hazards arising from the chemical	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide nitrogen oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for containment and cleaning up		Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling	L	
Protective measures	:	Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems or asthma, allergies or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes or on skin or clothing. Do not ingest. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	:	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	:	Store between the following temperatures: 2 to 40°C (35.6 to 104°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

goggles.

Control parameters

controls	Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection measures	
Hygiene measures :	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing.

Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
 Eye/face protection

 Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash

Section 8. Exposure controls/personal protection

Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): butyl rubber, Ethyl Vinyl Alcohol Laminate (EVAL)
Body protection	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Thermal hazards	: Not available.

Section 9. Physical and chemical properties

<u>Appearance</u>		
Physical state	:	Liquid.
Color	:	milky white, White.
Odor	:	Slight
Odor threshold	:	Not available.
рН	:	Not available.
Melting point/Freezing point	:	Not available.
Boiling/condensation point	:	Not available.
Flash point	:	Closed cup: >93°C (>199.4°F) [Estimated]
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Lower and upper explosive (flammable) limits	1	Not available.
		Not available.
Vapor pressure		
Vapor density		Not available.
Relative density	- 1	1.14
Solubility in water	4	Reacts with water
Partition coefficient: n- octanol/water	:	Not available.
Auto-ignition temperature		Not available.
Decomposition temperature	- 1	Not available.
Viscosity	÷	Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Test	Endpoint	Species	Result
1,2,3-Propanetriol, polymer with 1,1'-methylenebis [4-isocyanatobenzene], methyloxirane and oxirane	-	LD50 Oral	Rat	>2000 mg/kg

Irritation/Corrosion

Conclusion/Summary			
Skin	:	1,2,3-Propanetriol, polymer with 1,1'- methylenebis [4-isocyanatobenzene], methyloxirane and oxirane	No additional information.
Eyes	:	1,2,3-Propanetriol, polymer with 1,1'- methylenebis [4-isocyanatobenzene], methyloxirane and oxirane	No additional information.
Respiratory	:	1,2,3-Propanetriol, polymer with 1,1'- methylenebis [4-isocyanatobenzene], methyloxirane and oxirane	No additional information.

Sensitization

Section 11. Toxicological information

	3			
Product/ingredient name	Test	Route of exposure	Species	Result
1,2,3-Propanetriol, polymer with 1,1'-methylenebis [4-isocyanatobenzene], methyloxirane and oxirane	-	skin	Guinea pig	Sensitizing
		Respiratory	Human	Sensitizing

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
1,2,3-Propanetriol, polymer with 1,1'- methylenebis[4-isocyanatobenzene], methyloxirane and oxirane	Category 3		Respiratory tract irritation

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely : Not available. routes of exposure

Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	 Harmful if inhaled. May cause respiratory irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled. Exposure to decomposition products may cause a health hazard. Serious effects may be delayed following exposure.
Skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Ingestion	: Irritating to mouth, throat and stomach.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact	: Adverse symptoms may include the following: pain or irritation watering redness
Inhalation	: Adverse symptoms may include the following: respiratory tract irritation coughing wheezing and breathing difficulties asthma

Section 11. Toxicological information

		5
Skin contact	:	Adverse symptoms may include the following: irritation redness
Ingestion	:	No specific data.
Delayed and immediate	effec	ts and also chronic effects from short and long term exposure
<u>Short term exposure</u>		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.
Long term exposure		
Potential immediate effects	:	Not available.
Potential delayed effects	:	Not available.

Potential chronic health effects

General	: Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Inhalation (dusts and mists)	1.579 mg/l

Other information : Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Not available.

Other adverse effects : No known significant effects or critical hazards.

00066433

Section 12. Ecological information

Other ecological information		
BOD5	:	Not determined.
COD	÷	Not determined.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Section 14. Transport information

Proper shipping name

- **DOT** : Not regulated.
- TDG : Not regulated.
- IMDG : Not regulated.
- IATA : Not regulated.

Regulatory information	UN number	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-		-
TDG Classification	Not regulated.	-	-		-
IMDG Classification	Not regulated.	-	-		-
IATA Classification	Not regulated.	-	-		-

PG* : Packing group

Section 15. Regulatory information

United States Regulations


United States Regulations		
TSCA 8(b) inventory	: All components are listed or exempted.	
TSCA 5(a)2 final significant new use rule (SNUR)	: No ingredients listed.	
TSCA 5(e) substance consent order	: No ingredients listed.	
TSCA 12(b) export notification	: No ingredients listed.	
SARA 311/312	: Immediate (acute) health hazard	
Clean Air Act - Ozone Depleting Substances (ODS)	: This product does not contain nor is it manufactured with ozone depleting substances	3.
SARA 313	: No ingredients listed.	
CERCLA Hazardous substances	: No ingredients listed.	
State regulations		
PENNSYLVANIA - RTK	: No ingredients listed.	
California Prop 65	: This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.	
Canadian regulations		
CEPA DSL	: All components are listed or exempted.	
WHMIS Classes	: Class D-2A: Material causing other toxic effects (Very toxic). Class D-2B: Material causing other toxic effects (Toxic).	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.

Brazil Regulations Classification system used	: Norma ABNT-NBR 14725-2:2012
International lists	 Australia inventory (AICS): All components are listed or exempted. China inventory (IECSC): All components are listed or exempted. Japan inventory: Not determined. Korea inventory: At least one component is not listed. Malaysia Inventory (EHS Register): Not determined. New Zealand Inventory of Chemicals (NZIoC): At least one component is not listed. Philippines inventory (PICCS): At least one component is not listed. Taiwan inventory (CSNN): Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)



The customer is responsible for determining the PPE code for this material.

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on SDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

National Fire Protection Association (U.S.A.)		Flammability Instability Special
--	--	--

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Further information	
Date of printing	: 3/3/2015.
Date of issue	: 3/3/2015.
Date of previous issue	: No previous validation.
Version	: 1

Indicates information that has changed from previously issued version.

ARALDITE® is a registered trademark of Huntsman Corporation or an affiliate thereof in one or more countries, but not all countries.

Notice to reader

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Section 16. Other information

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

HARDENER HW 8685 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/06/2015	400001012857	Date of first issue: 08/06/2015

SECTION 1. IDENTIFICATION

Product name	: HARDENER HW 8685 US			
Manufacturer or supplier's details				
Company name of supplier Address	 Huntsman Advanced Materials Americas LLC P.O. Box 4980 The Woodlands, TX 77387 United States of America 			
Telephone	: Non-Emergency: (800) 257-5547			
E-mail address of person responsible for the SDS	: MSDS@huntsman.com			
Emergency telephone	: Chemtrec: (800) 424-9300 or (703) 527-3887			

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Skin corrosion/irritation	: Category 2
Serious eye damage/eye irritation	: Category 1
Skin sensitization	: Category 1
GHS Label element	
Hazard pictograms	
Signal Word	: Danger
Hazard Statements	 H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage.
Precautionary Statements	 Prevention: P280 Wear protective gloves/ eye protection/ face protection. P273 Avoid release to the environment. P264 Wash hands thoroughly after handling. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P362 + P364 Take off contaminated clothing and wash it before





Enriching lives through innovation

HUNTSMAN Enriching lives through innovation

HARDENER HW 8685 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/06/2015	400001012857	Date of first issue: 08/06/2015
		reuse.	

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician. Disposal: P501 Dispose of contents and container in accordance with all

local, regional, national and international regulations.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name	CAS-No.	Concentration (%)
limestone	1317-65-3	13 - 30
1,1'-phenyliminodipropan-2-ol	3077-13-2	7 - 13
2-ethylhexane-1,3-diol	94-96-2	3 - 7
Terphenyl, hydrogenated	61788-32-7	1 - 3
cyclohex-1,2-ylenediamine	694-83-7	1 - 3
terphenyl	26140-60-3	0.1 - 1
phenylmercury acetate	62-38-4	0.1 - 1

SECTION 4. FIRST AID MEASURES

General advice	:	No hazards which require special first aid measures.
If inhaled	:	Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion. If symptoms persist, call a physician.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	:	None known.

HUNTSMAN

HARDENER HW 8685 US

		Revision Date: 08/06/2015	SDS Number: 400001012857	Date of last issue: - Date of first issue: 08/06/2015
--	--	------------------------------	-----------------------------	--

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	: No data is available on the product itself.
Specific extinguishing methods	: No data is available on the product itself.
Further information	: Standard procedure for chemical fires.
Special protective equipment for fire-fighters	: In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Not applicable for product as supplied.
Environmental precautions	: No special environmental precautions required.
Methods and materials for containment and cleaning up	: Wipe up with absorbent material (e.g. cloth, fleece). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	: Normal measures for preventive fire protection.
Advice on safe handling	: For personal protection see section 8. No special handling advice required.
Conditions for safe storage	: Keep container tightly closed in a dry and well-ventilated place.
Materials to avoid	: No special restrictions on storage with other products.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Ingredients	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Terphenyl, hydrogenated	61788-32-7	TWA	0.5 ppm	ACGIH
		TWA	0.5 ppm 5 mg/m3	NIOSH REL



Enriching lives through innovation

HARDENER HW 8685 US

Vers 1.0	sion	Revision Date: 08/06/2015		OS Number: 0001012857		f last issue: - f first issue: 08/06/2015	5
					TWA	0.5 ppm 5 mg/m3	OSHA P0
	Perso	nal protective equip	oment				
	Respi	ratory protection	:	No personal required.	respiratory p	rotective equipment no	rmally
	Mat	protection erial ak through time	:	butyl-rubber > 8 h			
				Solvent-resis Nitrile rubber Neoprene gle PVC butyl-rubber 10 - 480 min	oves	butyl-rubber)	
				Solvent-resis Nitrile rubber Neoprene gle PVC	r	butyl-rubber)	
	Rer	narks	:	For prolonge	ed or repeate	d contact use protective	e gloves.
	Eye pi	rotection	:	Safety glass	es		
	Skin a	nd body protection	:	Protective su	uit		
	Hygiei	ne measures	:	General indu	istrial hygien	e practice.	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	quid	
Color	lack	
Odor	nild	
Odor Threshold	lo data is availab	le on the product itself.
рН	lo data is availab	le on the product itself.
Flash point	6 °C lethod: Pensky-N	Nartens closed cup, closed cup
Evaporation rate	lo data is availab	le on the product itself.
Flammability (solid, gas)	lo data is availab	le on the product itself.
Upper explosion limit	lo data is availab	le on the product itself.
Lower explosion limit	lo data is availab	le on the product itself.
Vapor pressure	lo data is availab	le on the product itself.



HARDENER HW 8685 US

Version 1.0	Revision Date: 08/06/2015	SDS Number: 400001012857	Date of last issue: - Date of first issue: 08/06/2015	
Rela	tive vapor density	: No data is a	vailable on the product itself.	
Rela	tive density	: 1.3 - 1.4		
Den	sity	: No data is a	vailable on the product itself.	
	bility(ies) /ater solubility	: slightly solul	ble	
S	olubility in other solvents	: No data is a	vailable on the product itself.	
	ition coefficient: n- nol/water	: No data is a	vailable on the product itself.	
	ignition temperature	: No data is a	vailable on the product itself.	
The	rmal decomposition	: No data is a	vailable on the product itself.	
V	iscosity	: No data is a	vailable on the product itself.	
	Accelerating omposition temperature DT)	: No data is a	vailable on the product itself.	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable under recommended storage conditions.
Chemical stability	: No decomposition if stored and applied as directed.
Possibility of hazardous reactions	: No hazards to be specially mentioned.
Conditions to avoid	: No data available

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure	: No data is available on the product itself.
Acute toxicity	
Ingredients: limestone: Acute oral toxicityIngredients	· 1 DE0 (Bot): 6 450 mg/kg
	. LD30 (Rat). 0,430 mg/kg
1,1'-phenyliminodipropan-2-ol: Acute oral toxicityIngredients	: LD50 (Rat): 3,800 mg/kg
2-ethylhexane-1,3-diol: Acute oral toxicityIngredients	: LD50 (Rat, male and female): 4,636 - 9,281 mg/kg
Terphenyl, hydrogenated:	

HUNTSMAN

HARDENER HW 8685 US

HARDENER HW 8685 US						
Version 1.0	Revision Date: 08/06/2015		Number: 01012857	Date of last issue: - Date of first issue: 08/06/2015		
	ex-1,2-ylenediamine: oral toxicityIngredients	N		and female): 1,170 mg/kg est Guideline 401		
	lients: hexane-1,3-diol: inhalation toxicity	E	C50 (Rat): 3.8 m xposure time: 4 l est atmosphere:	n		
	ex-1,2-ylenediamine: inhalation toxicity	E T	xposure time: 1 l est atmosphere:			
	l ients: enyliminodipropan-2-ol dermal toxicity		D50 (Rabbit): > 2	2,000 mg/kg		
	hexane-1,3-diol: dermal toxicity	: L	D50 (Rabbit, ma	le and female): 8,960 - 10,521 mg/kg		
	enyl, hydrogenated: dermal toxicity	: L	D50 (Rabbit): > 2	2,000 mg/kg		
	ex-1,2-ylenediamine: dermal toxicity	N	D50 (Rat): 1,870 lethod: OECD Te iLP: no	mg/kg est Guideline 402		
	toxicity (other routes of stration)	: N	o data available			

Skin corrosion/irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation

Product:

Remarks: According to the classification criteria of the European Union, the product is not

HUNTSMAN Enriching lives through innovation

rsion	Revision Date: 08/06/2015	SDS Number: 400001012857	Date of last issue: - Date of first issue: 08/06/2015
consid	lered as being an eye i	rritant.	
Respi	ratory or skin sensiti	zation	
Produ	ct:		
Rema	rks: No data available		
Asses	sment:	No data available	
Germ	cell mutagenicity		
Ingred	lients:		
	ex-1,2-ylenediamine: oxicity in vitro	Metabolic activa	15 - 1500 ug/plate ation: with and without metabolic activati Test Guideline 471 e
			ation: with and without metabolic activati Test Guideline 476 e
			ation: with and without metabolic activat Test Guideline 473
cycloh	lients: ex-1,2-ylenediamine: oxicity in vivo	: Application Rou Exposure time: Dose: 1.6 - 160 Method: OECD Result: negative GLP: yes	13 Weeks mg/m3 Test Guideline 474
		Application Rou Dose: 75 - 750 Method: OECD Result: negative GLP: yes	mg/kg Test Guideline 475
	nogenicity ta available		
Carcin Asses	ogenicity - sment	: No data availab	ble
Repro	ductive toxicity		
-	lients:		

HARDENER HW 8685 US

HUNTSMAN

Enriching lives through innovation

HARDENER HW 8685 US

Version 1.0	Revision Date: 08/06/2015	SDS Number: 400001012857	Date of last issue: - Date of first issue: 08/06/2015
	nex-1,2-ylenediamine: s on fertility	: Species: Rat, m Application Rou Method: OECD GLP: yes	
2-ethy	<u>dients:</u> /lhexane-1,3-diol: s on fetal development	effect level): 1,0 Result: No terate Species: Rat, fe Application Rou General Toxicity	te: Oral v Maternal: NOAEL (No observed adverse 00 mg/kg body weight ogenic effects. male
cycloł	nex-1,2-ylenediamine:	Result: Teratoge Species: Rat, m Application Rou General Toxicity effect level): ca.	enic effects. ale and female te: Oral Maternal: NOAEL (No observed adverse 184 mg/kg body weight Test Guideline 414
	ductive toxicity - sment	: No data availab	le
	-single exposure ta available		
	-repeated exposure ta available		
Repe	ated dose toxicity		
2-ethy Specie LOAE Applic Expos Numb	dients: /hexane-1,3-diol: es: Rat, male and femal L (Lowest observed adv ation Route: Ingestion sure time: 696 h er of exposures: 5 d od: Subacute toxicity		0 mg/kg
NOAE Applic Expos	es: Rat EL (No observed adverse ation Route: Ingestion sure time: 2,160 h od: Subchronic toxicity	e effect level): 480 m	g/kg

HUNTSMAN

HARDENER HW 8685 US

Version	Revision Date:
1.0	08/06/2015

SDS Number: Date of 400001012857 Date of Date

Date of last issue: -Date of first issue: 08/06/2015

Species: Rat, male and female NOAEL (No observed adverse effect level): 3768 mg/kg Application Route: Skin contact Exposure time: 13 Weeks Number of exposures: 5 d Method: Subchronic toxicity

cyclohex-1,2-ylenediamine: Species: Rat, male and female NOEC: 16 mg/m3 Test atmosphere: dust/mist Exposure time: 13 Weeks Method: OECD Test Guideline 413

Repeated dose toxicity - : No data available Assessment

Aspiration toxicity

No data available

Experience with human exposure

General Information:	No data available
Inhalation:	No data available
Skin contact:	No data available
Eye contact:	No data available

Ingestion: No data available

Toxicology, Metabolism, Distribution No data available

Neurological effects No data available

Further information

Product: Remarks: No data available

HUNTSMAN Enriching lives through innovation

HARDENER HW 8685 US

Version 1.0	Revision Date: 08/06/2015	SDS Number: 400001012857	Date of last issue: - Date of first issue: 08/06/2015
SECTIO	ON 12. ECOLOGICAL INF	ORMATION	
	otoxicity		
	redients:		
	estone: xicity to fish	: LC50: > 56, Exposure tir	
	rphenyl, hydrogenated: xicity to fish	: LC50: > 100 Exposure tir	
	clohex-1,2-ylenediamine: xicity to fish	Exposure tir Test substa Method: DIN GLP: yes	nce: Fresh water
cyc To	gredients: clohex-1,2-ylenediamine: xicity to daphnia and other uatic invertebrates	Exposure tir Test Type: s Test substa	
To	enylmercury acetate: xicity to daphnia and other uatic invertebrates	: LC50 (Daph Exposure tir	nnia pulex (Water flea)): 0.005 - 0.6 mg/l me: 3 h
Те	redients: rphenyl, hydrogenated : xicity to algae	: EC50: 56 m Exposure tir	
	clohex-1,2-ylenediamine: xicity to algae	: EC50: 29.6 Exposure tir	mg/l me: 72 h
ter M-	gredients: phenyl : Factor (Acute aquatic ricity)	: 1	
cyc To:	redients: clohex-1,2-ylenediamine : xicity to fish (Chronic icity)	: GLP: yes	

Ingredients:

HUNTSMAN

HARDENER HW 8685 US

	Revision Date: 08/06/2015		OS Number: 0001012857	Date of last issue: - Date of first issue: 08/06/2015		
aquatic	ne: to daphnia and other invertebrates c toxicity)	:	EC50 (Daphnia n Exposure time: 1 Test Type: semi- Test substance: l	static test		
Toxicity aquatic	cyclohex-1,2-ylenediamine: Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)		 NOEC (Daphnia magna (Water flea)): 4.16 mg/l Exposure time: 21 d Test Type: semi-static test Test substance: Fresh water Method: OECD Test Guideline 211 			
Toxicity aquatic (Chronic M-Facto	nercury acetate: to daphnia and other invertebrates c toxicity) or (Chronic aquatic		NOEC (Daphnia Exposure time: 2 No data available			
toxicity) Toxicity	to bacteria		No data available	2		
-	to soil dwelling		No data available			
Plant to:	xicity	:	No data available	9		
Sedime	nt toxicity	:	No data available	2		
Toxicity organisr	to terrestrial ms	:	No data available	9		
	cology Assessment quatic toxicity	:	No data available	9		
Chronic	aquatic toxicity	:	No data available	9		
Toxicity	Data on Soil	:	No data available	9		
	rganisms relevant to ronment	:	No data available	9		
	information: available					
Persiste	ence and degradabili	ity				
	<u>ents:</u> x-1,2-ylenediamine : adability	:	Result: Readily b Exposure time: 1 Method: OECD T			
Biochen Demand	nical Oxygen d (BOD)	:	No data available	9		

HUNTSMAN

Enriching lives through innovation

HARDENER HW 8685 US

Vers 1.0	sion	Revision Date: 08/06/2015		9S Number: 0001012857	Date of last issue: - Date of first issue: 08/06/2015
	Chemic (COD)	al Oxygen Demand	:	No data available	
	BOD/C	OD	:	No data available	
	ThOD		:	No data available	
	BOD/Th	nOD	:	No data available	
	Dissolv (DOC)	ed organic carbon	:	No data available	
	Physico remova	o-chemical bility	:	No data available	
	Stability	/ in water	:	No data available	
	Photod	ex-1,2-ylenediamine: egradation on Sewage		Rate constant: < . GLP: no No data available	001
		umulative potential umulation	:	No data available	
	octanol, Terphe Partitio	ne: n coefficient: n- /water nyl, hydrogenated: n coefficient: n-		log Pow: < 1 Method: No inform log Pow: 6.5	nation available.
		ex-1,2-ylenediamine: n coefficient: n-	:	log Pow: < -0.9 (2 pH: 7 Method: OECD Te GLP: yes	
		y in soil		•• • • • • • • • •	
	Mobility			No data available	
		ition among mental compartments	:	No data available	
	Stability	/ in soil	:	No data available	

Other adverse effects



HARDENER HW 8685 US

Versior 1.0	n Revisior 08/06/20			0S Number: 0001012857	Date of last issue: - Date of first issue: 08/06/2015
	nvironmental fa athways	ate and	:	No data available	
	esults of PBT a sessment	and vPvB	:	No data available	
	ndocrine disrup otential	oting	:	No data available	
	dsorbed organ alogens (AOX)		:	No data available	
На	Hazardous to the ozone lay		er		
Oz	zone-Depletior	n Potential	:	Protection of Strat Substances Remarks: This pro manufactured with	R Protection of Environment; Part 82 tospheric Ozone - CAA Section 602 Class I oduct neither contains, nor was n a Class I or Class II ODS as defined by the t Section 602 (40 CFR 82, Subpt. A, App.A +
	dditional ecolo	•	:	There is no data a	available for this product.
Gl	formation - Pro lobal warming GWP)		:	No data available	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Offer surplus and non-recyclable solutions to a licensed disposal company.
Contaminated packaging	: Empty remaining contents. Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION

International Regulation

ΙΑΤΑ

Not regulated as a dangerous good

IMDG

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

HUNTSMAN

HARDENER HW 8685 US

Version	Revision Da
1.0	08/06/2015

SDS Number: 400001012857 Date of last issue: -Date of first issue: 08/06/2015

DOT Classification

Not regulated as a dangerous good

Date:

SECTION 15. REGULATORY INFORMATION

TSCA - 5(a) Significant New	:	Not relevant
Use Rule List of Chemicals		

EPCRA - Emergency Planning and Community Right-to-Know

SARA 311/312 Hazards	: Chronic Health Hazard
SARA 313	: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

Pennsylvania Right To Know

69102-90-5	30 - 50 %
1317-65-3	20 - 30 %
10101-39-0	20 - 30 %
3077-13-2	5 - 10 %
94-96-2	5 - 10 %
	1317-65-3 10101-39-0 3077-13-2

California Prop 65

WARNING! This product contains a chemical known in the State of California to cause cancer.

4-vinylcyclohexene	100-40-3
buta-1,3-diene	106-99-0

WARNING: This product contains a chemical known in the State of California to cause birth defects or other reproductive harm.

4-vinylcyclohexene	100-40-3
buta-1,3-diene	106-99-0
phenylmercury acetate	62-38-4

The ingredients of this product are reported in the following inventories:

CH INV	: The mixture contains substances listed on the Swiss Inventory
TSCA	: On TSCA Inventory
DSL	: This product contains the following components listed on the
	Canadian NDSL. All other components are on the Canadian
	DSL.
AICS	: Not in compliance with the inventory



Enriching lives through innovation


HARDENER HW 8685 US

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08/06/2015	400001012857	Date of first issue: 08/06/2015
NZIOC ENCS ISHL KECI PICCS IECSC	5	 Not in compliance with the inventory On the inventory, or in compliance with the inventory 	

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION



Revision Date : 08/06/2015

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE. THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

HUNTSMAN

HARDENER HW 8685 US

Version 1.0

Revision Date: 08/06/2015

SDS Number: 400001012857

Date of last issue: -Date of first issue: 08/06/2015

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT PERMISSION IN WRITING FROM HUNTSMAN. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET SHOULD BE DIRECTED TO HUNTSMAN, MANAGER, PRODUCT SAFETY AT THE ABOVE ADDRESS.

