

Safety Data Sheet

Issue date 28-Aug-2015 Revision date 20-May-2015 Version 1

1. Identification

Product Identifier

Product name QSil 7760 B

Other means of identification

Recommended use of the chemical and restrictions on use
Recommended use Industrial silicone elastomer.
Application FOR INDUSTRIAL USE ONLY

Details of the Supplier of the Safety Data Sheet

Supplier Manufacturer Address

CHT CH⁻

7820 Whitepine Rd 8021 Reycan Road Richmond, VA 23237 Richmond, VA 23237

Emergency Telephone Number

Company Phone Number 800-852-3147 (8AM - 5PM EST) **Emergency telephone** Chemtrec 1-800-424-9300



2. Hazards Identification

Classification

OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

EMERGENCY OVERVIEW

The product contains no substances which at their given concentration, are considered to be hazardous to health

Appearance Viscous liquid Physical State Liquid Odor Negligible

Hazards Not Otherwise Classified (HNOC)

Not Applicable

OTHER INFORMATION

Not Applicable.

3. Composition/information on Ingredients

Substance

Not Applicable

<u>Mixture</u>

	Chemical name	CAS No	weight-%	Trade secret
--	---------------	--------	----------	--------------

QSil 7760 B

Silica, quartz	14808-60-7	10 - 30	*
Aluminum Oxide	1344-28-1	10 - 30	*
Carbon Black	1333-86-4	0.1 - 1	*

4. First aid measures

Description of first aid measures

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash skin with soap and water.

INHALATION Remove to fresh air.

INGESTION Clean mouth with water and drink afterwards plenty of water.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms No information available.

Indication of Any Immediate Medical Attention and Special Treatment Needed

5. Fire-fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required.

Environmental Precautions

Environmental PrecautionsSee Section 12 for additional Ecological Information. Prevent further leakage or spillage if

safe to do so. Do not allow into any sewer, on the ground or into any body of water. Prevent product from entering drains. Local authorities should be advised if significant spillages

cannot be contained.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth

or other non-combustible absorbent material. Take up mechanically, placing in appropriate

containers for disposal. Clean contaminated surface thoroughly.

7. Handling and Storage

Precautions for Safe Handling

Advice on safe handling Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials Interaction with strong bases can cause liberation of hydrogen.

8. Exposure Controls/Personal Protection

Control Parameters

Ingredients with workplace exposure parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Aluminum Oxide	TWA: 1 mg/m³ respirable fraction	TWA: 15 mg/m³ total dust	-
1344-28-1		TWA: 5 mg/m ³ respirable fraction	
		(vacated) TWA: 10 mg/m ³ total dust	
		(vacated) TWA: 5 mg/m³ respirable	
		fraction	

NIOSH IDLH Immediately Dangerous to Life or Health

OTHER INFORMATION Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962

(11th Cir., 1992).

Appropriate Engineering Controls

Engineering controls Showers

Eyewash stations

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and Body Protection Wear protective gloves and protective clothing.

Respiratory ProtectionNo protective equipment is needed under normal use conditions.

General hygiene considerations When using do not eat, drink or smoke. Wash contaminated clothing before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Liquid

AppearanceViscous liquidOdorNegligible

Color Black Odor threshold No information available

<u>Property</u> <u>VALUES</u> <u>Remarks • Method</u>

pH No information available
Melting point / Freezing point
Boiling point / Boiling range No information available
No information available

Flash point > 180 °C / > 356 °F CC (closed cup)

Evaporation rate No information available Flammability (solid, gas) No information available

Flammability limit in air

Upper flammability limit: No information available Lower flammability limit: No information available Vapor pressure No information available Vapor density No information available Relative density No information available Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available

Dynamic viscosity 120,000 cps **Explosive properties** Not an explosive

Oxidizing properties This product is not an oxidizing agent

OTHER INFORMATION

Softening point
Molecular weight
VOC content (%)
No information available
No information available
No information available

Density 1.56

Bulk density No information available

10. Stability and Reactivity

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

None under normal processing.

hazardous polymerization No information available.

Conditions to avoid

No information available.

Incompatible materials

Interaction with strong bases can cause liberation of hydrogen.

Hazardous decomposition products

None known based on information supplied.

11. Toxicological Information

Information on Likely Routes of Exposure

Product information No data available.

INHALATION No data available.

Eye Contact No data available.

Skin Contact No data available.

INGESTION No data available.

Chemical name Oral LD50 dermal LD50 Inhalation LC50

QSil 7760 B

Aluminum Oxide 1344-28-1	> 5000 mg/kg (Rat)	-	-
Carbon Black 1333-86-4	> 15400 mg/kg (Rat)	> 3 g/kg(Rabbit)	-

Information on Toxicological Effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

sensitizationNo information available.Germ Cell MutagenicityNo information available.

carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B).

Chemical name	ACGIH	IARC	NTP	OSHA
Silica, quartz 14808-60-7	A2	Group 1	Known	Х
Carbon Black 1333-86-4	A3	Group 2B	-	Х

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Not classifiable as a human carcinogen Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive Toxicity
STOT - Single Exposure
STOT - Repeated Exposure
No information available.
No information available.

Target organ effects EYES, Respiratory System, skin, Lungs.

Aspiration Hazard No information available.

Numerical Measures of Toxicity - Product information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 11,746.00 mg/kg **ATEmix (dermal)** 34,542.00 mg/kg

12. Ecological Information

Ecotoxicity

Toxic to aquatic life with long lasting effects

Chemical name	Algae/aquatic plants	Fish	Crustacea
Carbon Black	-	-	5600: 24 h Daphnia magna mg/L
1333-86-4			EC50
1-ethynylcyclohexanol	-	256: 96 h Pimephales promelas	-
78-27-3		mg/L LC50 flow-through	
Octamethylcyclotetrasiloxane	-	500: 96 h Brachydanio rerio mg/L	25.2: 24 h Daphnia magna mg/L
556-67-2		LC50 1000: 96 h Lepomis	EC50
		macrochirus mg/L LC50	

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other Adverse Effects No information available

13. Disposal Considerations

Waste Treatment Methods

Disposal of wastes

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Do not reuse container.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

14. Transport Information

NOT REGULATED DOT **NOT REGULATED** IATA **IMDG NOT REGULATED TDG** NOT REGULATED NOT REGULATED MEX **NOT REGULATED** ICAO (air) RID **NOT REGULATED** NOT REGULATED ADR **NOT REGULATED** <u>ADN</u>

15. Regulatory Information

International Inventories

Complies **TSCA** DSL/NDSL Complies **EINECS/ELINCS** Complies Complies **ENCS** Complies **IECSC** Complies **KECL PICCS** Complies **AICS** Complies **TCSI** Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %		
Aluminum Oxide - 1344-28-1	1.0		
SARA 311/312 Hazard Categories			
Acute Health Hazard	NO		
Chronic health hazard	NO		
Fire Hazard	NO		
Sudden Release of Pressure Hazard	NO		
Reactive Hazard	NO		

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains Proposition 65 chemicals

U.S. State Right-to-Know Regulations

U.S. EPA Label information

EPA Pesticide registration number Not Applicable

16. Other information, including date of preparation of the last revision

NFPA Health Hazards 0 Flammability 1 Instability 0 - HMIS Health Hazards 0 Flammability 1 Physical Hazards 0 -

Issue date28-Aug-2015Revision date20-May-2015

Revision note

No information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet