

# Safety Data Sheet

This safety data sheet was created pursuant to the requirements of:  
US OSHA Hazard Communication Standard (29 CFR 1910.1200)



Issuing Date 05-Nov-2025

Revision date 27-Oct-2025

Version 6

## 1. Identification

### Product identifier

Product name QSil Primer #6

### Other means of identification

UN/ID no UN1993

Synonyms None

### Recommended use of the chemical and restrictions on use

Recommended use Industrial silicone elastomer

Restrictions on use For industrial use only

### Details of the supplier of the safety data sheet

<u>Supplier</u>	<u>Manufacturer Address</u>
CHT USA Inc. 7820 Whitepine Rd Richmond, VA 23237	CHT USA Inc. 8021 Reycan Rd Richmond, VA 23237

### Emergency telephone number

Company Phone Number 800-852-3147 (8AM - 5PM EST)

Emergency telephone Chemtrec 1-800-424-9300

## 2. Hazard(s) identification

### Classification

Flammable liquids	Category 2
Acute toxicity - Oral	Category 4
Acute toxicity - Dermal	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 1, Category 3

### Hazards not otherwise classified (HNOC)

Not applicable.

### Label elements

**Danger****Hazard statements**

Highly flammable liquid and vapor.

Harmful if swallowed.

Toxic in contact with skin.

Harmful if inhaled.

May cause cancer.

Causes damage to organs.

May cause respiratory irritation.

May cause drowsiness or dizziness.

**Precautionary Statements - Prevention**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing, eye protection and face protection.

Wash face, hands and any exposed skin thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Do not breathe dust.

Ground and bond container and receiving equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Use explosion-proof electrical, ventilating and lighting equipment.

Keep cool.

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see .? on this label).

IF exposed or concerned: Call a POISON CENTER or doctor.

IF ON SKIN: Wash with plenty of water and soap.

Call a POISON CENTER or doctor if you feel unwell.

Take off immediately all contaminated clothing and wash it before reuse.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor if you feel unwell.

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

Rinse mouth.

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

**Precautionary Statements - Storage**

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

**Unknown acute toxicity**

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

**OTHER INFORMATION**

Causes mild skin irritation.

**3. Composition/information on ingredients**

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Trade secret
Ethanol	64-17-5	60 - 100	*
Methanol	67-56-1	10 - 30	*
Hydrochloric Acid	7647-01-0	0.1 - 1	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4. First-aid measures**

**Description of first aid measures**

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air. IF exposed or concerned: Get medical advice/attention. If symptoms persist, call a physician. If breathing has stopped, give artificial respiration. Get medical attention immediately.
<b>Eye contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Get immediate medical attention.
<b>Skin contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.
<b>Self-protection of the first aider</b>	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Avoid breathing vapors or mists.

**Most important symptoms and effects, both acute and delayed**

<b>Symptoms</b>	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation. Coughing and/ or wheezing. Difficulty in breathing.
<b>Effects of Exposure</b>	May cause cancer. Causes damage to organs.

**Indication of any immediate medical attention and special treatment needed**

<b>Note to physicians</b>	Treat symptomatically.
---------------------------	------------------------

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b> Large Fire	Dry chemical. Carbon dioxide (CO <sub>2</sub> ). Water spray. Alcohol resistant foam. CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Risk of ignition. Keep product and empty container away from heat and sources of ignition. In the event of fire, cool tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
<b>Explosion Data</b>	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	Yes.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Avoid breathing vapors or mists.
<b>Other information</b>	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.
<b>Methods for cleaning up</b>	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.
<b>Prevention of secondary hazards</b>	Clean contaminated objects and areas thoroughly observing environmental regulations.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use with local exhaust ventilation. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Take off contaminated clothing and wash before reuse. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or
--------------------------------	--

smoke when using this product.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions**

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Keep out of the reach of children. Store locked up.

**8. Exposure controls/personal protection**

**Working area parameters, subject to mandatory control (MAC or TSEL)**

**Exposure Limits**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Ethanol 64-17-5	STEL: 1000 ppm	TWA: 1000 ppm TWA: 1900 mg/m <sup>3</sup> (vacated) TWA: 1000 ppm (vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm; TWA: 1900 mg/m <sup>3</sup> ; IDLH: 3300 ppm
Methanol 67-56-1	TWA: 200 ppm STEL: 250 ppm pSk	TWA: 200 ppm TWA: 260 mg/m <sup>3</sup> (vacated) TWA: 200 ppm (vacated) TWA: 260 mg/m <sup>3</sup> (vacated) STEL: 250 ppm (vacated) STEL: 325 mg/m <sup>3</sup> Sdv	TWA: 200 ppm; TWA: 260 mg/m <sup>3</sup> ; STEL: 250 ppm STEL: 325 mg/m <sup>3</sup> IDLH: 6000 ppm
Hydrochloric Acid 7647-01-0	Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup> (vacated) Ceiling: 5 ppm (vacated) Ceiling: 7 mg/m <sup>3</sup>	Ceiling: 5 ppm Ceiling: 7 mg/m <sup>3</sup> IDLH: 50 ppm

**Biological occupational exposure limits**

Chemical name	ACGIH
Methanol (CAS #: 67-56-1)	15 mg/L - urine (Methanol) - end of shift

**Appropriate engineering controls**

**Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection**

Tight sealing safety goggles.

**Hand protection**

Wear suitable gloves. Impervious gloves.

**Skin and body protection**

Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.

**Respiratory protection**

Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be

required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.

**9. Physical and chemical properties**

**Information on basic physical and chemical properties**

**Physical state** Liquid  
**Appearance** Liquid  
**Color** Clear  
**Odor** Alcohol  
**Odor threshold** No information available

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>		None known
<b>Melting point / Freezing point</b>	No data available	None known
<b>Boiling point / boiling range °C</b>	< 78.5 °C / 173.30 °F	
<b>Flash point</b>	>= 13 °C / 55.4 °F	CC (closed cup)
<b>Evaporation rate</b>		None known
<b>Flammability (solid, gas)</b>		None known
<b>Flammability limit in air</b>		None known
<b>Upper flammability limit:</b>	No data available	
<b>Lower flammability limit:</b>	No data available	
<b>Vapor pressure</b>	No data available	None known
<b>Vapor density</b>	No data available	None known
<b>Relative density</b>		None known
<b>Water solubility</b>		None known
<b>solubility(ies)</b>	No data available	None known
<b>Partition coefficient</b>	No data available	None known
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>		None known
<b>Kinematic viscosity</b>		None known
<b>Dynamic viscosity</b>	No data available	None known

**Other information**

**Explosive properties** No information available  
**Oxidizing properties** No information available  
**Softening point** No information available  
**Molecular weight** No information available  
**VOC content** 96.25  
**Density** 0.82  
**Bulk density** No information available

**10. Stability and reactivity**

**Reactivity** No information available.  
**Chemical stability** Stable under normal conditions.  
**Possibility of hazardous reactions** None under normal processing.  
**hazardous polymerization** No information available.  
**Conditions to avoid** Heat, flames and sparks. Excessive heat.

**Incompatible materials** None known based on information supplied.

**Hazardous decomposition products** None known based on information supplied.

**11. Toxicological information**

Information on likely routes of exposure

**Product Information**

- Inhalation** May cause drowsiness or dizziness. Specific test data for the substance or mixture is not available. May cause irritation of respiratory tract. Harmful by inhalation. (based on components).
- Eye contact** Specific test data for the substance or mixture is not available.
- Skin contact** Specific test data for the substance or mixture is not available. Toxic in contact with skin. (based on components). Causes mild skin irritation.
- Ingestion** Specific test data for the substance or mixture is not available. Harmful if swallowed. (based on components).

Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. Prolonged contact may cause redness and irritation. Coughing and/ or wheezing.

**Acute toxicity** Toxic in contact with skin. Harmful if swallowed. Harmful by inhalation.

**Numerical measures of toxicity**

The following ATE values have been calculated for the mixture

- ATEmix (oral) 474.40 mg/kg
- ATEmix (dermal) 303.40 mg/kg
- ATEmix (inhalation-vapor) 42.20 mg/l
- ATEmix (inhalation-dust/mist) 2.465 mg/l

**Unknown acute toxicity**

- 0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity
- 0 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

**Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Ethanol 64-17-5	= 7060 mg/kg ( Rat )	-	= 116.9 mg/L ( Rat ) 4 h = 133.8 mg/L ( Rat ) 4 h
Methanol 67-56-1	= 6200 mg/kg ( Rat )	= 15840 mg/kg ( Rabbit )	= 22500 ppm ( Rat ) 8 h
Hydrochloric Acid 7647-01-0	238 - 277 mg/kg ( Rat )	> 5010 mg/kg ( Rabbit )	= 1.68 mg/L ( Rat ) 1 h

Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Classification based on data available for ingredients. Causes mild skin irritation.

**Serious eye damage/eye irritation** No information available.

**Respiratory or skin sensitization** No information available.

**Germ cell mutagenicity** No information available.

**Carcinogenicity** Contains a known or suspected carcinogen. Classification based on data available for ingredients. May cause cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Ethanol 64-17-5	A3 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans	Group 1	Known	X
Hydrochloric Acid 7647-01-0	A4 - Not Classifiable as a Human Carcinogen	Group 3	-	X

**Legend**

**ACGIH (American Conference of Governmental Industrial Hygienists)**

A3 - Animal Carcinogen

A4 - Not Classifiable as a Human Carcinogen

**IARC (International Agency for Research on Cancer)**

Group 1 - Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

**NTP (National Toxicology Program)**

Known - Known Carcinogen

**Occupational Safety and Health Administration of the US Department of Labor**

X - Present

**Reproductive toxicity** No information available.

**STOT - single exposure** Causes damage to organs if swallowed. Causes damage to organs in contact with skin. May cause respiratory irritation. May cause drowsiness or dizziness.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

**Other Adverse Effects** No information available.

**Interactive effects** No information available.

**12. Ecological information**

**Ecotoxicity**

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Ethanol 64-17-5	-	LC50: 12.0 - 16.0mL/L (96h, Oncorhynchus)	-	LC50: 9268 - 14221mg/L (48h,

		mykiss) LC50: >100mg/L (96h, Pimephales promelas) LC50: 13400 - 15100mg/L (96h, Pimephales promelas)		Daphnia magna) EC50: =2mg/L (48h, Daphnia magna)
Methanol 67-56-1	-	LC50: =28200mg/L (96h, Pimephales promelas) LC50: >100mg/L (96h, Pimephales promelas) LC50: 19500 - 20700mg/L (96h, Oncorhynchus mykiss) LC50: 18 - 20mL/L (96h, Oncorhynchus mykiss) LC50: 13500 - 17600mg/L (96h, Lepomis macrochirus)	-	-

**Persistence and Degradability** No information available.

**Bioaccumulation**

**Component Information**

Chemical name	Partition coefficient
Ethanol 64-17-5	-0.35
Methanol 67-56-1	-0.77

**Other adverse effects** No information available.

**13. Disposal considerations**

**Waste Treatment Methods**

**Waste from residues/unused products** Should not be released into the environment. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

**Contaminated packaging** Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld containers.

**California Hazardous Waste Status** This product contains one or more substances that are listed with the State of California as a hazardous waste.

**14. Transport information**

**DOT**

**UN/ID no** UN1993  
**Proper Shipping Name** Flammable liquid, n.o.s.  
**Transport hazard class(es)** 3  
**Packing group** II  
**Special Provisions** IB2, T7, TP1, TP8, TP28  
**DOT Marine Pollutant** NP  
**Description** UN1993, Flammable liquids, n.o.s. (Ethanol, Methanol), 3, II

**TDG**

UN/ID no UN1993  
 Proper Shipping Name Flammable liquid, n.o.s.  
 Transport hazard class(es) 3  
 Packing group II  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, II

**MEX**

UN/ID no UN1993  
 Proper Shipping Name Flammable liquid, n.o.s.  
 Transport hazard class(es) 3  
 Packing group II  
 MEX Technical Name Ethanol, Methanol  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, II  
 Special Provisions 274

**ICAO (air)**

UN/ID no UN1993  
 Proper Shipping Name Flammable liquid, n.o.s.  
 Transport hazard class(es) 3  
 Packing group II  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, II  
 Special Provisions A3

**IATA**

UN number or ID number UN1993  
 Proper Shipping Name Flammable liquid, n.o.s.  
 Transport hazard class(es) 3  
 Packing group II  
 IATA Technical Name Ethanol, Methanol  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, II  
 Special Provisions A104, A113

**IMDG**

UN number or ID number UN1993  
 Proper Shipping Name Flammable liquid, n.o.s.  
 Transport hazard class(es) 3  
 Packing group II  
 Special Provisions 274  
 Description UN1993, Flammable liquid, n.o.s. (Ethanol, Methanol), 3, II, (13°C c.c.), Marine pollutant

**15. Regulatory information**

**International Inventories**

TSCA Complies Active  
 DSL/NDSL Complies  
 EINECS/ELINCS Complies  
 ENCS Complies  
 IECSC Regulated  
 KECL Complies  
 PICCS Complies  
 AICS Complies  
 NZIoC Complies  
 TCSI Complies

**Legend:**

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory  
**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

- EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- IECSC** - China Inventory of Existing Chemical Substances
- KECL** - Korean Existing Chemicals Inventory
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- AIIC** - Australian Inventory of Industrial Chemicals
- NZIoC** - New Zealand Inventory of Chemicals
- TCSI** - Taiwan Chemical Substance Inventory

**US Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Methanol 67-56-1 ( 10 - 30 )	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Hydrochloric Acid	5000 lb	-	-	X

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Methanol 67-56-1	5000 lb	-	RQ 5000 lb final RQ RQ 2270 kg final RQ
Hydrochloric Acid 7647-01-0	5000 lb	5000 lb	RQ 5000 lb final RQ RQ 2270 kg final RQ

**US State Regulations**

**California Proposition 65**

This product contains the following Proposition 65 chemicals.:

Chemical name	California Proposition 65
Methanol	Developmental

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Ethanol	X	X	X
Methanol	X	X	X
Hydrochloric Acid	X	X	X

**U.S. EPA Label information**

EPA Pesticide registration number Not applicable

**16. Other information**

**Key or legend to abbreviations and acronyms used in the safety data sheet**

**Legend**

SVHC: Substances of Very High Concern for Authorization:  
 PBT: Persistent, Bioaccumulative, and Toxic (PBT) Substances  
 vPvB: Very Persistent and very Bioaccumulative (vPvB) Substances  
 STOT: Specific Target Organ Toxicity  
 ATE: Acute Toxicity Estimate  
 LC50: 50% Lethal Concentration  
 LD50: 50% Lethal Dose

**Legend SECTION 8: Exposure controls/personal protection**

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation
+	Sensitizers		

**Key literature references and sources for data used to compile the SDS**

Agency for Toxic Substances and Disease Registry (ATSDR)  
 U.S. Environmental Protection Agency ChemView Database  
 European Food Safety Authority (EFSA)  
 Environmental Protection Agency  
 Acute Exposure Guideline Level(s) (AEGl(s))  
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act  
 U.S. Environmental Protection Agency High Production Volume Chemicals  
 Food Research Journal  
 Hazardous Substance Database  
 International Uniform Chemical Information Database (IUCLID)  
 National Institute of Technology and Evaluation (NITE)  
 Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
 NIOSH (National Institute for Occupational Safety and Health)  
 National Library of Medicine's ChemID Plus (NLM CIP)  
 National Library of Medicine's PubMed database (NLM PUBMED)  
 U.S. National Toxicology Program (NTP)  
 New Zealand's Chemical Classification and Information Database (CCID)  
 Organization for Economic Co-operation and Development Environment, Health, and Safety Publications  
 Organization for Economic Co-operation and Development High Production Volume Chemicals Program  
 Organization for Economic Co-operation and Development Screening Information Data Set  
 World Health Organization

**Revision date** 27-Oct-2025  
**Revision note** No information available.

**Disclaimer**

**The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.**

**End of Safety Data Sheet**



**WARNING** This product can expose you to chemicals including those listed below, which is [are] known to the State of California to cause cancer, birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

Chemical name	California Proposition 65
---------------	---------------------------

Methanol - 67-56-1	Developmental
--------------------	---------------

Storage Conditions  
Supplier Address

Store at or below 38C (100F)  
CHT USA Inc.  
805 Wolfe Avenue  
Cassopolis, MI 49031