

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSil 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

SECTION 1. IDENTIFICATION

Product name : QSil 214 A

Recommended use of the chemical and restrictions on use

Recommended use : Industrial use

Manufacturer or supplier's details

Manufacturer/Supplier

CHT Germany GmbH
Bismarckstraße 102
72072 Tübingen
Germany
Tel.: +49 7071 154 0
info@cht.com

CHT USA Inc.
805 Wolfe Avenue
Cassopolis, MI 49031
USA
Tel.: +1 269 445 0847
info.usa@cht.com

Importer : -

-
-
-
-
-



chemical-concepts.com

800.220.1966

410 Pike Road • Huntingdon Valley, PA 19006

Responsible Department : CHT Germany GmbH
CHT USA
Product Safety
sds.usa@cht.com
sds.germany@cht.com

Emergency telephone number

Emergency telephone number : +1 703 527 3887 CHEMTREC (International, 24 hours)
1-800-424-9300 CHEMTREC (USA, 24 hours)

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Reproductive toxicity : Category 2

Other hazards

None known.

GHS label elements

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSi1 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H361f Suspected of damaging fertility.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves, protective clothing, eye protection and face protection.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture

:

Mixture

Components

Chemical name	CAS No./Unique ID	Concentration (% w/w)	Trade secret
octamethylcyclotetrasiloxane (REACH SVHC Candidate List)	556-67-2*	$\geq 0.1 - \leq 1$	-

* Indicates that the identifier is a CAS No.

SECTION 4. FIRST AID MEASURES

General advice

:

Take off all contaminated clothing immediately.
Show this safety data sheet to the doctor in attendance.

If inhaled

:

Move to fresh air.
If symptoms persist, call a physician.

In case of skin contact

:

Wash off immediately with soap and plenty of water.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

If skin irritation persists, call a physician.

In case of eye contact : Immediately flush eye(s) with plenty of water.
If symptoms persist, call a physician.

If swallowed : Rinse mouth with water.
Do NOT induce vomiting.
Call a physician immediately.

Most important symptoms and effects, both acute and delayed : None known.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Carbon dioxide (CO₂)
Water spray
Dry powder
Alcohol-resistant foam

Unsuitable extinguishing media : High volume water jet

Specific hazards during fire-fighting : Hazardous decomposition products formed under fire conditions.
Can be released in case of fire:
Carbon oxides
Silica

Further information : In case of fire do not inhale smoke, conflagration gases and steams.
Use water spray to cool unopened containers.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Use personal protective equipment.
Contaminated surfaces will be extremely slippery.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSi1 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

- Environmental precautions : The product should not be allowed to enter drains, water courses or the soil.
If the product contaminates rivers and lakes or drains inform respective authorities.
Pay attention to local or official regulations.
- Methods and materials for containment and cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Clean contaminated surface thoroughly.
Treat recovered material as described in the section "Disposal considerations".
Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
Keep away from heat and sources of ignition.
- Advice on safe handling : Provide sufficient air exchange and/or exhaust in work rooms.
- Conditions for safe storage : Do always store in containers which correspond to the original ones.
Keep container tightly closed.
Keep in a dry, cool place.
- Further information on storage conditions : Protect from frost.
Protect from humidity and keep away from water.
- Materials to avoid : Incompatible with acids and bases.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
octamethylcyclotetrasiloxane (REACH SVHC Candidate List)	556-67-2	TWA	10 ppm	US WEEL

- Engineering measures : Solids with occupational exposure limits in liquid preparations do not cause an exposure in the workplace, because they are not present in a respirable form. Exposure can occur in the form of aerosols or after drying of the liquid the solids remain, possibly in a finely dispersed form.
Provide sufficient air exchange and/or exhaust in work rooms.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

Personal protective equipment

Respiratory protection : In case the workplace is not ventilated sufficiently and during spray processing or activities where inhalation exposure may occur, it is necessary to wear a NIOSH certified respirator with a minimum APF of 10 in accordance with 29 CFR 1910.134.

Hand protection

Material	: butyl-rubber
Break through time	: > 480 min
Glove thickness	: >= 0.5 mm
Protective index	: Class 6

Remarks

: Wear chemical resistant impervious gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Eye protection

: Goggles
Always wear eye protection when the potential for inadvertent eye contact with the product cannot be excluded.

Skin and body protection

: Wear suitable protective clothing.
Work uniform or laboratory coat.

Hygiene measures

: Avoid contact with skin, eyes and clothing.
Do not breathe vapours, aerosols.
Take off all contaminated clothing immediately.
Handle in accordance with good industrial hygiene and safety practice.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

Colour : clear

Odour : not significant

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

pH	:	Not applicable substance/mixture is non-soluble (in water)
Melting point/ range	:	No data available
Boiling point/boiling range	:	No data available
Flash point	:	> 284 °F / 140 °C Method: closed cup
Evaporation rate	:	Not applicable
Flammability (liquids)	:	Sustains combustion
Self-ignition	:	not auto-flammable
Upper explosion limit / Upper flammability limit	:	Not applicable
Lower explosion limit / Lower flammability limit	:	Not applicable
Vapour pressure	:	No data available
Relative vapour density	:	Not applicable
Density	:	1.0 g/cm ³ (73 °F / 23 °C)
Solubility(ies) Water solubility	:	insoluble
Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	not determined
Decomposition temperature	:	The substance or mixture is not classified self-reactive.
Viscosity Viscosity, dynamic	:	4,800 mPa.s
Viscosity, kinematic	:	not determined
Oxidizing properties	:	Not applicable
Conductivity	:	Not determined
Particle characteristics		

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

Particle Size Distribution : Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No hazardous reactions known if stored and handled properly.

Chemical stability : Stable under normal conditions.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Protect from moisture.

Incompatible materials : Acids
Bases

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg
Remarks: Argument by analogy

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria are not met.

Acute dermal toxicity : Acute toxicity estimate: > 5,000 mg/kg
Method: Calculation method

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Acute oral toxicity : LD50 Oral (Rat, male): 4,800 mg/kg
Method: OECD Test Guideline 401
Remarks: No mortality observed at this dose.

Acute inhalation toxicity : LC50 (Rat, male and female): 36 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rat): > 2,375 mg/kg
Method: OECD Test Guideline 402
Remarks: No mortality observed at this dose.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

Skin corrosion/irritation

Product:

Remarks : Prolonged skin contact may cause skin irritation.

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Species	: Rat
Method	: OECD Test Guideline 404
Result	: No skin irritation

Serious eye damage/eye irritation

Product:

Remarks : Contact with eyes may cause irritation.

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Species	: Rabbit
Result	: No eye irritation
Method	: OECD Test Guideline 405

Respiratory or skin sensitisation

Product:

Remarks : No known sensitising effect.

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Test Type	: Maximisation Test
Species	: Guinea pig
Method	: OECD Test Guideline 406
Result	: Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

Product:

Germ cell mutagenicity - Assessment : Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

IARC No component of this product present at levels greater than or equal to 0.1% is

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Reproductive toxicity - Assessment : Suspected of damaging fertility.

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Reproductive toxicity - Assessment : Suspected of damaging fertility., toxic effect on reproduction, category 2

STOT - single exposure

Product:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks : Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Based on available data, the classification criteria are not met.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : Remarks: No data is available on the product itself.

Toxicity to daphnia and other aquatic invertebrates : Remarks: No data is available on the product itself.

Toxicity to algae/aquatic plants : Remarks: No data is available on the product itself.

Toxicity to microorganisms : Remarks: No data is available on the product itself.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): > 0.022 mg/l Exposure time: 96 h Remarks: Not classified due to data which are conclusive although insufficient for classification.
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): > 0.015 mg/l Exposure time: 48 h Test Type: flow-through test Remarks: Not classified due to data which are conclusive although insufficient for classification.
Toxicity to algae/aquatic plants	:	EC10 (Pseudokirchneriella subcapitata (algae)): >= 0.022 mg/l Exposure time: 96 h Remarks: Not classified due to data which are conclusive although insufficient for classification. EC50 (Pseudokirchneriella subcapitata (algae)): > 0.022 mg/l Exposure time: 96 h Remarks: Not classified due to data which are conclusive although insufficient for classification.
Toxicity to fish (Chronic toxicity)	:	NOEC (Oncorhynchus mykiss (rainbow trout)): >= 0.0044 mg/l Exposure time: 93 d Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	:	NOEC (Daphnia magna (Water flea)): > 15 Exposure time: 21 d Test Type: flow-through test
M-Factor (Chronic aquatic toxicity)	:	10
Toxicity to microorganisms	:	EC50 (activated sludge): > 10,000 mg/l Exposure time: 3 h Test Type: static test Method: ISO 8192

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Product:

Biodegradability	:	Remarks: No data is available on the product itself.
Physico-chemical removabil-	:	Remarks: The product is insoluble and sinks in water.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiil 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

ity May be separated mechanically in waste water plants.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data is available on the product itself.

Components:

octamethylcyclotetrasiloxane (REACH SVHC Candidate List):

Partition coefficient: n-octanol/water : log Pow: 6.98 (71.1 °F / 21.7 °C)

Mobility in soil

Product:

Mobility : Remarks: No data available

Other adverse effects

Product:

Additional ecological information : According to our knowledge, the product does not contain heavy metals and other compounds of EC directive 2000/60 EC.
The product is insoluble in water, therefore the ecological data such as, e.g. biodegradability, COD, BOD5 values cannot be determined analytically.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Avoid release to the environment.
The product should not be allowed to enter drains, water courses or the soil.
Do not dispose of waste into sewer.
Dispose of rinse water as waste water.
Dispose of rinse water in accordance with local and national regulations.
Product that cannot be reused, reclaimed or recycled should be disposed of at an authorised facility in accordance with national, state and local regulations.

Contaminated packaging : Packaging must be completely emptied. Dispose of non-recyclable/recyclable packaging in accordance with local regulations.
Do not rinse packaging before disposal.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Segregation group : -

Transport in bulk according to IMO instruments

Not applicable

National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

Remarks : see chapter 6 - 8

SECTION 15. REGULATORY INFORMATION

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Reproductive toxicity

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know

xylene 1330-20-7

The components of this product are reported in the following inventories:

TSCA : All components of this product are in compliance with the inventory or exempted from listing requirements of the U.S. Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

US WEEL : USA. Workplace Environmental Exposure Levels (WEEL)
US WEEL / TWA : 8-hr TWA

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

The classification for dangerous physico-chemical properties, health and environmental hazards has been derived from a combination of computational methods and, if available, test data.

Sources of key data used to compile the Safety Data Sheet : Information from our suppliers, as well as data from the "Registered substances database" of the European Chemicals Agency (ECHA) has been used to compile this safety data sheet.

Revision Date : 03/10/2026

SAFETY DATA SHEET

according to the OSHA Hazard Communication Standard



QSiI 214 A

Version	Revision Date:	Print Date:	Date of last issue: -
1.0	03/10/2026	03/10/2026	Date of first issue: 03/10/2026

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.